

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

 ∞

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES

Answer **all** questions. A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
Total	

This document consists of 25 printed pages and 3 blank pages.



			12	
			2	acampringe.c
1	A fo	ootba	all match is taking place.	Car For
	(a)	Wh	en the ball is kicked it travels at 5m/s.	inbrid ine
		(i)	The ball has a mass of 0.6 kg.	'9e.g
			Calculate the kinetic energy of the ball.	
			State the formula that you use and show your working.	
			formula	
			working	
			J	[2]
		(ii)	Calculate the momentum of the ball.	
			State the formula that you use and show your working.	
			formula	
			working	
			kam/s	[2]
	(b)	Tov	kg m / s	[-]
	(~)		the forces on the ball balanced or unbalanced?	
			plain your answer.	
		•	, ,	
				[1]
	(c)		e players need a lot of energy to play a game of football. te the two main food types which supply the players with this energy.	
		1 _		
		2		[2]
				I

- www.papaCambridge.com In the 1930s, farmers growing sugar cane in tropical parts of Australia had problem 2 insect pests, such as lacebugs, that ate the crop. Cane toads, Bufo marinus, introduced from central America to try to solve the problem. Cane toads kill and eat insect and other small animals.
 - Fig. 2.1 shows a cane toad.




Fig. 2.1

(a) State one feature of a cane toad, visible in Fig. 2.1, which shows that it is an amphibian. [1] (b) Name the genus to which cane toads belong. [1] (c) Use the information above to write a food chain involving cane toads. For each organism, state whether it is a producer or a consumer. [2]

(d) Biologists noticed that some cane toads had longer legs than others. They though perhaps toads with longer legs could travel faster than other toads.

www.papaCambridge.com They collected toads with different leg lengths, and measured the distance the toads travelled in 24 hours. The results are shown in Fig. 2.2.




Fig. 2.2

(i) The number **0** on the x axis indicates toads that had normal leg lengths.

Calculate the speed at which a toad with normal leg length travelled. Show your working.

> m per hour [2]


(ii) Describe the relationship between the length of the toad's legs and the speed at which it travelled. [1] (iii) State two variables that the researchers should have kept the same in their investigation. 1 2 _____ [2]

 for the digestive system of a cane toad is very similar to the human digestive system of a cane toad is high in protein.
 For the digestive system of a cane toad is very similar to the human digestive system

 (i) Name the kind of enzyme that digests proteins to amino acids.
 [1]

 (ii) Suggest the part of a cane toad's digestive system where the amino acids are absorbed into the blood.
 [1]

www.papaCambridge.com 3 A student investigates the reaction between magnesium and dilute acid Y. Fig. 3.1 shows the metal being added to the acid contained in a test-tube, and also same tube some time later.



magnesium chloride solution

Fig. 3.1

(a) (i) Name the compound present after the reaction that was not present before. [1] (ii) Name acid Y. [1] (iii) The student observed bubbles of gas escaping from the mixture. She collected samples of this gas and tested them with limewater, a glowing wooden splint and a lit wooden splint. Explain which one of these tests produced a positive result. [2] (iv) Explain how it is possible to tell from Fig. 3.1 that the reaction was exothermic. [2]

		4722	
		7 gnesium alloys are widely used in making parts for aircraft and racing car eng	
(b)	Ma	gnesium alloys are widely used in making parts for aircraft and racing car eng	Foi
	(i)	One type of magnesium alloy contains the elements zinc and zirconium.	100
		Suggest how this magnesium alloy is made.	S.C.
	(ii)	Suggest and explain why a magnesium alloy, rather than a transition metal such as iron, is used to make parts for aircraft and racing cars.	
		[2]	

					42	
			8		www.por	
(a) So	me countrie	es use nuclear fission re	eactors	to generate electricity.		aCa
(i)	What is m	neant by the term <i>nucle</i>	ar fissic	n?		1ª
						[2]
(ii)	State one reactors.	e advantage and one d	isadvar	tage of generating elect	ricity using nu	Iclear
	advantag	e				
	disadvant	tana				
	uisauvain	laye	•••••			[2]
						[2]
(iii)	Complete	e the boxes to show hov	v nuclea	ar power stations transfe	r energy.	
nuc	lear	energy		energy	electr	ical
ene	ergy	of steam		of turbine	ener	
						[2]

Table 4.1

		9	diation is released. onising radiation. deflection by electric field
) Wh	en nuclear fuel is used in a	power station, ionising rac	diation is released.
Tab	ble 4.1 shows some information	ation about three types of i	onising radiation.
		Table 4.1	
	radiation	ionising power	deflection by electric field
	alpha	very strong	small
	beta	moderate	large
	gamma	weak	none
	field.		
			[1
(iii)	Explain why alpha radiation	on is the most ionising.	[1
(iii)		-	[1
		_	[1
(iii) (iv)			[1
	State one effect of ionisin		[1

5 Fig. 5.1 shows the female reproductive system.





Fig.5.1

(a) Give the letter on the diagram which represents each of the following structures.

vagina	
ovary	
uterus	
oviduct	 [2]

(b) Fig. 5.2 shows how the thickness of the uterus lining changes during one month of the menstrual cycle.





(i) Explain how the graph shows that menstruation began on June 7th.

[1]


(ii) Suggest the date on which ovulation (the release of an egg from an ovary) occurred.

[1]

10

www.papaCambridge.com

	12	
	11	
(c) Du	ring fertilisation, a sperm fuses with an egg.	Fa
(i)	Name the part of the reproductive system where fertilisation takes place.	^{abrid}
	11 uring fertilisation, a sperm fuses with an egg. Name the part of the reproductive system where fertilisation takes place. [1]	14
(ii)		
	How many chromosomes does an egg contain?	
	[1]	
(iii)	Name the part of a sperm or an egg which contains the chromosomes.	
	[1]	
(d) (i)	AIDS can be transmitted from one person to another during sexual intercourse.	
	Explain how this transmission can take place.	
	[2]	
(ii)	Outline two ways by which the spread of AIDS by this method can be limited.	
(11)	Culline two ways by which the spread of AIDS by this method can be littlifed.	
	[2]	
	[2]	



(b) Crude oil is a mixture of different hydrocarbon molecules. A typical hydro molecule is shown in Fig. 6.2.




Fig. 6.2

Some hydrocarbon molecules are different from others in crude oil because their carbon atoms form a branched chain as shown in Fig. 6.3.





Fig. 6.3

Describe two other ways in which hydrocarbon molecules can be different from one another.


1	
2	
-	
	[2]

(c) Some hydrocarbons are changed by chemical reactions into a very wide ra materials including plastics. Plastics are made of polymer molecules.

www.papaCambridge.com Some of the reactions and processes which are required to produce a typical plastic are shown below. Draw lines linking the statements. One line has already been drawn.



(d) If an oil tanker is involved in an accident, oil may spill into the sea. If sea birds become covered in crude oil they will die unless the oil can be removed.



(i) Why is water alone not able to wash the oil from the birds?[1] (ii) Suggest what could be added to the water in order to remove the oil from the birds.

......[1]




BLANK PAGE

Please turn over for Question 7

- 7 An airline passenger enters an airport.
- www.papaCambridge.com (a) He buys some hot food at the restaurant and carries it away in a polystyrene contained Explain why a polystyrene container is used to keep food hot.

..... [1]

(b) He then moves up an escalator (moving staircase) as shown in Fig. 7.1.





The passenger weighs 900N.

(i) Calculate the work done lifting the passenger a vertical distance of 6 metres.


State the formula that you use and show your working.

formula


working

[2]

- (ii) State the potential energy the passenger has gained when he reaches the top of the escalator.
 - _____J [1]



.....m/s [1]



www.papaCambridge.com 19 (c) Fig. 8.2 shows the structure of a leaf. P Х Fig. 8.2 (i) Cell P contains many chloroplasts and can photosynthesise. At night, cell P takes in oxygen and gives out carbon dioxide. In the daytime, cell **P** takes in carbon dioxide and gives out oxygen. Explain why this happens. at night in daytime [3] (ii) On Fig. 8.2, draw an arrow to show how gases travel to cell **P** from the air. [1] (iii) Cell X is a xylem vessel. Give two functions of a xylem vessel in a leaf. 1 _____ 2 [2]

www.papaCambridge.com 9 Litmus and alizarin yellow are substances which can be used to indicate the pa solution. The colours of these substances in solutions of different pH ranges are sh below.

	pH 4.5 and lower	pH 8.3 and higher
litmus	red	blue
	pH 10.1 and lower	pH 12.0 and higher
alizarin yellow	yellow	brown

(a) A student wishes to find out if a colourless solution is an acid or an alkali by using one of the substances named above.

Explain why she should use litmus and not alizarin yellow.

..... [2]

- (b) Litmus is obtained from plant material and alizarin yellow is a synthetic dye. The chemical formula of alizarin yellow is C₁₃H₈N₃NaO₅.
 - (i) Explain the meaning of the term synthetic dye.

[2]

(ii) How many metallic elements are shown in the formula of alizarin yellow?


[1]


(iii) Name a method which could be used to find out whether a mixture contained both litmus and alizarin yellow.

......[1]

(c) The atoms in molecules are joined by covalent chemical bonds.

Explain which one of the diagrams, 1 to 4, shows a covalent bond between the atom in a chlorine molecule.








In the space below, draw the circuit diagram for this circuit using the correct symbols.

[3]


(b) Fig. 10.2 shows a d.c. electric motor.





		433
		23
	(i)	23 Suggest two ways of making the coil spin more quickly. 1
		1
		2
		[2]
	(ii)	Apart from changing the direction of the current in the coil, how could you reverse the motion of the coil?
		[1]
(c)	An	electric motor is connected to a 240 V supply.
	The	maximum current used by the motor is 4A.
	(i)	Use the formula power = voltage x current to calculate the maximum power put into the motor.
		Show your working.
		W [1]
	(ii)	Explain why the electrical input power will be greater than the useful mechanical output power.
		[2]

www.papacambridge.com 11 Fig. 11.1 shows the apparatus and substances used by a student to make an electric






(a) (i) What type of compound must be dissolved in water to produce an electrolyte?

[1]

(ii) The student finds that the voltmeter reads 1.1 V. He then replaces the copper electrode with another electrode made of zinc.

Predict and explain briefly the new voltmeter reading.

..... [2]






BLANK PAGE



BLANK PAGE

Pe rea University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of



DATA SHEET The Periodic Table of the Elements

$\begin{array}{c c c c c c c c c c c c c c c c c c c $	4 e	4 He Heliur	VII	VI	V	IV												I II	
Normalize He hydrogen	e	He																II	'
Li Be Berylium 4 Be Servitim Be Servitim Be Servitim C Servitim N Subject Servitim Servitim N Subject N Subject <td></td> <td>H Hydrogen</td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td> <td></td>												H Hydrogen					_		
Na SodiumMg MagnesiumMG MagnesiumSiliconNa MG MagnesiumC I MG MagnesiumC I MGC I MGS I MGS I MGS I C I C I C I MGS I S I C I C I C I MGS I S I C I<	le	F Ne	Fluorine	O Oxygen	Nitrogen	Carbon	Boron				-							Be Beryllium	Li
K Potassium 19Ca Scandium 21Scandium Titianium 22Tit Titanium 23V 	r	Cl Ar Chlorine Argor	C1 Chlorine	S Sulphur	P Phosphorus	Si Silicon	A1 Aluminium											Mg Magnesium	Na Sodium
Rb Sr Y Zr Nb Mo Tc Ru Rh Pd Ag Cd In Sn Sb Te I Dolare Rubidium Strontium Yttrium Zirconium Niobium Molybdenum Technetium Ruberlium Palladium Silver Cadmium Indium Tin Antimony Tellurium Iodine X	(r	Br Kr Bromine Krypto	Br Bromine	Se Selenium	As Arsenic	Ge Germanium	Gallium	Zn	Cu Copper	Ni Nickel	Co Cobalt	Fe	Mn Manganese	Cr Chromium	V Vanadium	Ti Titanium	Sc Scandium	Ca Calcium	K Potassium
	e	I Xe	I	Te Tellurium	Sb Antimony	Sn Tin	Indium	Cd Cadmium	Ag Silver	Pd Palladium	Rh Rhodium	Ru Ruthenium	Technetium	Mo Molybdenum	Niobium	Zr Zirconium	Y Yttrium	Sr Strontium	Rb Rubidium
		Astatine Rador	Astatine	Polonium	Bismuth	Pb Lead	T <i>l</i> Thallium	Hg Mercury	Au _{Gold}	Pt Platinum	Ir Iridium	Os Osmium	Re Rhenium	W Tungsten	Ta Tantalum	Hf Hafnium	La Lanthanum	Ba Barium	Cs Caesium
1 1 1 Francium Radium Actnium 80 89																	Actinium	Ra Radium	Francium
190-103 Actinoid series Ce Pr Nd Praseodymium Promethium Promethium Samarium Europium Gadolinium Terbium Dysprosium Holmium Erbium Thulium Tuterbium Lu	U	Yb Lu /tterbium Lutetiu	Yb Ytterbium	Tm Thulium	Er	Ho Holmium	Dysprosium	Tb Terbium	Gd Gadolinium	Eu	Sm Samarium	Promethium	Nd Neodymium	Pr Praseodymium	Ce Cerium				
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $.r	No Lr Nobelium 2 103	Nobelium 102	Md Mendelevium 101	Fermium	Einsteinium	Californium	Berkelium	Curium	Americium	Plutonium	Neptunium	U Uranium	Protactinium	Th Thorium	bol	= atomic sym	X X	-
The volume of one mole of any gas is 24 dm ³ at room temperature and pressure (r.t.p.).	eded					(r.t.p.).	pressure	ature and	m temper	m ³ at roor	as is 24 d	of any ga	one mole	volume of	The v				