

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.


Answer **all** questions. A copy of the Periodic Table is printed on page 36.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
Total		
iotai		

This document consists of 34 printed pages and 2 blank pages.





	3	
(ii)	Explain how the structure of the flower in Fig. 1.1 indicates that it is polline insects.	For iner's
		Se.com
	[3]	

(c) After pollination and seed formation, the ovary of a flower develops into a fruit.

Describe how the structure of a **named** fruit helps it to be dispersed. You may include a labelled diagram if it helps your answer.

 	 	[3]

- (a) (i) State the percentage of nitrogen in the air. 2
- www.papacambridge.com (ii) Nitrogen can be separated from liquefied air by fractional distillation.

Table 2.1 shows the boiling points of three of the gases found in air.

gas	boiling point/°C
argon	-186
nitrogen	-196
oxygen	-183

Table 2.1

In the process of fractional distillation, very cold liquefied air is allowed to increase in temperature.

Explain briefly how this process is able to separate nitrogen from the other gases shown in Table 2.1.

[2]

www.papaCambridge.com (b) Nitrogen is converted into ammonia in the Haber process. Fig. 2.1 shows a sin diagram of the Haber Process.





Fig. 2.1

The hydrogen used in this process is produced from reactions involving methane, steam and a catalyst containing nickel.

The reaction that occurs in the reactor in Fig. 2.1 involves a catalyst containing iron.

(i) Name the family of metals to which iron and nickel belong.


[1] (ii) Suggest why the catalyst inside the reactor in Fig. 2.1 is used in the form of a large number of small pieces. [2] (iii) Name the gases that are being re-cycled at point A in Fig. 2.1.[1] (iv) Explain why the gases you have named in (iii) are present at point A.[1] (c) The diagram in Fig. 2.2 shows the protons and outer shell electrons in a molecule.





(i) Suggest, in terms of forces between electrically charged particles, why energy is needed to break the covalent bond in a nitrogen molecule.

..... [2] (ii) Suggest why nitrogen molecules are unreactive. _____ [2]



Please turn over for Question 3.




Fig. 3.1

(a) Describe the motion of the car in

3

graph A ,	
graph B .	 [1]

(b) The car travels at 20 m/s for 90 seconds. The total force driving the car forward is 1000 N.


Calculate the work done by this force during this 90 second journey.

State the formulae that you use and show your working.

formulae used

working

[3]



 10

 For iner's

 Ga (i) Ultrasound is sound that has a frequency too high for a human to hear.

 Suggest a frequency for the ultrasound emitted by bats.

 (1)

 (ii) Underline the word or words that correctly describe an ultrasound wave.

 electromagnetic

 Iongitudinal

 transverse

 (1)

4

from it.

Researchers thought that bats may be able to tell where water is present because the water has a much smoother surface than the surrounding ground. They put several thirsty bats into a closed room. They placed sheets of two rough materials and two smooth materials on the floor.

rough materials	smooth materials
metal grid	metal sheet
tree bark	smooth wood

The researchers counted the number of times the bats tried to drink from the surface of each material. Their results are shown in Fig. 4.1.






Fig. 4.1

(i) Compare the results for the rough materials and the smooth materials.

(ii) The ultrasound waves reflect from surfaces and are detected by receptors bat's head.

www.papaCambridge.com Fig. 4.2 shows how ultrasound waves are reflected from a rough surface and from a smooth surface. The arrows show the direction in which the sound waves travel.





smooth surface

Fig. 4.2

Use the information in Fig. 4.1 and Fig. 4.2 to suggest how bats detect a water surface.

 . [2]

(c) Many bats feed on moths. Tiger moths have evolved behaviour that helps escape from bats. The behaviour is caused by their genes.

www.papaCambridge.com A tiger moth has two simple 'ears', each containing a sensory neurone. The sensory neurone produces nerve impulses when it detects ultrasound.

This causes the moth to fly in rapid zig-zags, which makes it more difficult for the bat to catch.

(i) Explain how natural selection could have caused this behaviour to evolve.

	[4]
(ii)	The response of the tiger moth to ultrasound is a reflex action. The path taken by a nerve impulse in a reflex action in a tiger moth is similar to that in a human.
	Suggest what happens to the nerve impulses in the sensory neurone, in order to produce the escape behaviour of the tiger moth.

[3]

www.papacambridge.com (a) Fig. 5.1 represents what happens when calcium carbonate, an insoluble ionic 5 added to water.




Fig. 5.1

(i) Sodium chloride is a **soluble** ionic salt.

On Fig. 5.2, sketch how the ions from sodium chloride are arranged after it is added to water.




Fig. 5.2

www.papaCambridge.com 14 (ii) Explain, in terms of relative numbers of protons and electrons, why calcia have an electrical charge of 2+, but sodium ions have a charge of 1+. [2] (b) A student is given the task of finding out the mass of magnesium sulfate that is dissolved in an aqueous solution. She adds excess barium chloride which reacts with all of the magnesium sulfate to produce a white precipitate of barium sulfate. barium chloride solution magnesium sulfate solution precipitate of barium sulfate The student separates and dries the barium sulfate, and finds that it has a mass of 4.66 g. (i) Calculate the number of moles of barium sulfate, BaSO₄, in 4.66 g. Show your working.

(ii) The balanced equation for the reaction between magnesium sulfate and chloride is shown below.


 $MgSO_4$ (aq) + $BaCl_2$ (aq) $\longrightarrow BaSO_4$ (s) + $MgCl_2$ (aq)


www.papaCambridge.com Use the balanced equation and your answer to (i) to calculate the mass of magnesium sulfate in the original solution.

The relative formula mass of magnesium sulfate is 120.

Show your working.


[2]





(c) The casing of the washing machine is a solid. The water used in it is a liquid.

Complete the diagrams below to show the arrangement of particles in a solid and in a liquid.



www.papacambridge.com (d) 3 kg of water are being heated in the washing machine from 10 °C to 50 °C.

The specific heating capacity of water is 4200 J/kg °C.

Calculate the energy required to heat the water.

Show your working and state the formula that you use.

formula used

working

[3]

- www.papaCambridge.com 7 Starch is a carbohydrate found in many foods that come from plants. Starch molecul very large, and must be broken down into smaller sugar molecules before they cal absorbed.
 - (a) (i) Name the enzyme in the human digestive system that breaks down starch molecules.
 -[1]
 - (ii) State one place in the human digestive system where this enzyme is secreted.
 - (b) Sugar molecules, such as glucose, are absorbed from the alimentary canal through the villi. Fig. 7.1 shows a villus.




Fig. 7.1


(i) Describe the role of the capillaries in the villus.

[2] (ii) Describe the role of the lacteals in the villus.[1] (iii) Suggest the function of the microvilli on the epithelial cells. [2]

20	
The glucose that is absorbed through the villi is transported to the liver in the block	For
Describe what happens to the glucose when it reaches the liver if the concentration glucose in the blood is too high.	Ibridge con
[2]	-

- Metallic copper is a very important material that has been extracted from 8 compounds for thousands of years.
 - (a) Copper is used to make electrical wires.

www.papaCambridge.com Copper wires are connected to the mains electrical supply using brass plugs. Brass is an alloy of copper and zinc, and is a much less malleable material than pure copper.



Draw a simple diagram of the atoms in brass, and use it to help you explain why brass is less malleable than pure copper.

 	 	 	 [3]

www.papaCambridge.com (b) One of the processes used in the extraction of copper involves heating co sulfide, Cu₂S, in air. One of the reactions that occurs is between copper(I) sulfide oxygen. This reaction produces copper and sulfur dioxide, SO₂.

Construct a balanced symbolic equation for this reaction.

(c) After further processing, impure copper is extracted from the products of the process in (b).

Most of this copper is purified using electrolysis.

Fig. 8.1 shows the apparatus a student used to investigate this electrolysis reaction.




Fig. 8.1

The student investigated what happened to the masses of the anode and cathode during the electrolysis shown in Fig. 8.1.

His results are shown in Table 8.1.


Table 8.1

	mass of anode/g	mass of cathode/g
before electrolysis	47.3	49.7
after electrolysis	46.9	50.1


(i) Name the compound that is dissolved in water to make the electrolyte.

[1]

	446
	23
(ii)	Explain the results shown in Table 8.1.
	23 Explain the results shown in Table 8.1.
	[2]
(iii)	Explain briefly how this electrolysis reaction is used in industry to purify (refine) copper.
	,
	[2]



(d) Draw a straight line from each type of radiation in the left hand column to link property in the right hand column.



10 Fig. 10.1 shows a crop plant growing in soil.



Fig. 10.1

(a) Describe the pathway along which water from the soil travels to the cells in the plant's leaves. [3] (b) Farmers often add fertilisers containing nitrate ions to the soil where crop plants are growing. (i) Explain why plants need nitrate ions. [2] (ii) If too much fertiliser is added to the soil, the movement of water into the plant's roots will stop. Explain why. [2]

26

www.papaCambridge.com

	27 XXXX. D	
(iii)	If more fertiliser is added to the soil than the crop plants can absorb, some fertiliser may wash into rivers when it rains.	For iner's
	Explain how this can cause fish to die.	Tabe.c.
		OT
	[3]	
		1

- 11 Carbon occurs naturally as the free element and also combined in an extremely number of different compounds.
- www.papacambridge.com (a) The most common isotope of carbon has a proton number of 6 and a nucleon number of 12.


Draw a diagram of **one** atom of this isotope of carbon. Label the positions and numbers of the protons, neutrons and electrons.

(b) As the uncombined element, carbon is found in the forms of diamond and graph physical properties of diamond and graphite are very different.

www.papacambridge.com Choose one difference in the physical properties of diamond and graphite and explain this difference in terms of structure (the way that the carbon atoms are arranged). You may wish to draw some simple diagrams to help you answer this question.

 	 	[4]

www.papaCambridge.com (c) Petroleum (crude oil) is the raw material from which gasoline (car fuel) is obtained



(i) Fig. 11.1 shows a typical molecule in gasoline.




Fig. 11.1

Name the homologous series to which the molecule in Fig. 11.1 belongs.

Explain your answer.

homologous series	
explanation	
	[2]

30


www.papaCambridge.com (ii) Some car manufacturers are researching the use of alternative fuels to gasoline. One possible alternative fuel is hydrogen gas, H₂, which is oxidised in the car's engine. Explain why air pollution caused by car engines would be greatly reduced if hydrogen could be used as the fuel instead of gasoline.

..... [3] 12 (a) Describe how heat energy is used to turn the generator in a power station.

Name the equipment used at each stage of this process.

www.papacambridge.com [2]

(b) Fig. 12.1 shows a simple a.c. generator. When the coil is turned a current is induced in the coil.





Name the parts labelled **X** and explain their purpose.

part X		
purpose		
		•••
	[2	2]

		4mm		
		33		
(c)	(i)	The electrical output from a power station is 25000 V. The voltage is steppe 400000 V by a transformer.	Computinge	's
		The number of turns on the primary coil of the transformer is 40000.	1900	
		Calculate the number of turns on the secondary coil.	.65	3
		Show your working and state the formula that you use.		
		formula used		
		working		
			[3]	
	(ii)	Explain why the electrical output from this power station has to be a.c.		
			[1]	



BLANK PAGE



BLANK PAGE

Pe pu University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.	
--	--

		_						Gr	oup								_	
Ι	II											III	IV	V	VI	VII	0	
							1 H Hydrogen 1										4 He Helium	
7 Li Lithium	9 Be Beryllium							_				11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10	
23 Na Sodium	24 Mg Magnesium 12											27 A1 Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 C1 Chlorine 17	40 Ar Argon 18	
39 K Potassium	40 Ca Calcium 20	45 Sc Scandium 21 2	48 Ti Titanium 2	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36	36
85 Rb Rubidium	88 Sr Strontium 38	39 4	91 Zr ^{Zirconium} 0	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru ^{Ruthenium} 44	103 Rh _{Rhodium} 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 I n Indium 49	119 Sn 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe _{Xenon} 54	6
133 CS Caesium	137 Ba ^{Barium} 56	139 La Lanthanum 57 * 7.	178 Hf Hafnium 2	181 Ta ^{Tantalum} 73	184 W Tungsten 74	186 Re _{Rhenium} 75	190 OS Osmium 76	192 I r Iridium 77	195 Pt ^{Platinum} 78	197 Au _{Gold} 79	201 Hg Mercury 80	204 T 1 Thallium 81	207 Pb Lead 82	209 Bi ^{Bismuth} 83	Po Polonium 84	At Astatine 85	Rn ^{Radon} 86	
Fr Francium	226 Ra Radium 88	227 Ac Actinium 89 †																_
	anthanoid Actinoid s	series		140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71	
ey b	X X	 relative atomic atomic symbol proton (atomic) 	I	232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fermium 100	Md Mendelevium 101	Nobelium 102	71 Lr Lawrenclum 103	