



## Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME  CENTRE NUMBER  CHEMISTRY  CANDIDATE NUMBER  0620		February	
CENTRE CANDIDATE	CHEMISTRY		0620/32

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 (a) The structures of five substances, A, B, C, D and E, are shown.

Na <sup>+</sup>   Br <sup>-</sup>   Na <sup>+</sup>   Na <sup>+</sup>	H H     H—C—C—H     Br Br	o=c=o	Cl Cl	0=0
Α	В	С	D	Е

Answer the following questions using only the substances in the diagram. Each substance may be used once, more than once or not at all.

State which substance, A, B, C, D or E:

(i)	is a diatomic molecule	[1]
(ii)	contains bromide ions	[1]
(iii)	is an element	[1]
(iv)	is a gas which is a product of respiration	[1]
(v)	gives a yellow colour in a flame test.	[1]

**(b)** An isotope of oxygen is represented by the symbol shown.

<sup>17</sup><sub>8</sub>O

Deduce the number of protons, neutrons and electrons in this isotope of oxygen.

number of protons

number of neutrons

number of electrons

(c) Describe a test for oxygen.

result .....

[Total: 10]

[2]


2 (a) The table shows the mass of each type of ion present in a 100 cm<sup>3</sup> sample of milk.

name of ion	formula of ion	mass of ion present in 100 cm³ milk/mg
calcium	Ca <sup>2+</sup>	125
chloride	Cl⁻	120
	Mg <sup>2+</sup>	12
phosphate	PO <sub>4</sub> 3-	95
potassium	K <sup>+</sup>	140
sodium	Na⁺	58
	SO <sub>4</sub> <sup>2-</sup>	30
negative ions of organic acids		160

(i) Calculate the mass of calcium ions present in a 20 cm³ sample of this milk.

	mass of calcium ions = mg [1]
(ii)	Which positive ion is present in the highest concentration in this sample of milk?
	[1]
(iii)	Name the compound formed from Mg <sup>2+</sup> and SO <sub>4</sub> <sup>2-</sup> ions.
	[1]
(iv)	Describe a test for chloride ions.
	test
	result
	[3]

(b) One of the organic acids present in milk is lactic acid. The structure of lactic acid is shown.



(1)	On the structure shown draw a circle around the carboxylic acid functional group.	[1]
(ii)	Deduce the molecular formula of lactic acid showing the number of carbon, hydrogen oxygen atoms.	and
		[1]
Eth	anoic acid is another organic acid.	

(c)

The reduction of ethanoic acid produces ethanol.

What is meant by the term reduction?

(ii) The molecular formula of ethanol is  $C_2H_6O$ .


Complete the table to calculate the relative molecular mass of ethanol.

	number of atoms	relative atomic mass	
carbon	2	12	2 × 12 = 24
hydrogen			
oxygen			

rel	lative	mole	cular	mass	=	 [2	)

[Total: 11]

- **3** This question is about halogens.
  - (a) A crystal of iodine was placed at the bottom of a beaker containing the solvent cyclohexane. After 2 days, a purple colour had spread throughout the cyclohexane.



Explain these observations using the kinetic particle model.	
	[3]

Question 3 continues on the next page.

**(b)** The table shows the properties of some halogens.

halogen	melting point in °C	boiling point in °C	density when liquid in g/cm <sup>3</sup>	colour
fluorine	-220	-188		
chlorine		-29	1.56	light green
bromine	-7	59	3.12	red-brown
iodine	114	184	3.96	grey-black

- the density of liquid fluorine the melting point of chlorine.

(ii	Is fluorine lighter or darker in colour than chlorine? Explain your answer.	
	[	1]
(iii	What is the physical state of bromine at 40 °C? Give a reason for your answer.	
	[	2]
	omplete the chemical equation for the reaction of aqueous bromine with aqueountassium iodide.	JS
	+ 2KI $\rightarrow$ I <sub>2</sub> +KBr	2]


[2]

[Total: 10]

4	This	s question is about organic compounds.	
	(a)	Which <b>two</b> statements about members of a homologous series are correct? Tick <b>two</b> boxes.	
		They have similar chemical properties.	
		They have similar physical properties.	
		They have the same functional group.	
		They have the same relative molecular mass.	
		They have the same number of carbon atoms.	[2]
	(b)	To which homologous series do methane and ethane belong?	[1 <sup>-</sup>
	(c)	Methane and ethane are both hydrocarbons.	L · .
		What is meant by the term <i>hydrocarbon</i> ?	
			[2]
	(d)	Draw the structure of ethane showing all of the atoms and all of the bonds.	
			[1]

(e)	The	hydrocarb	The hydrocarbon tetradecane, $C_{14}H_{30}$ , can be cracked to form a mixture of alkanes and alkenes.			of alkanes and alkenes.	
	(i)	State two	conditions neede	d for crac	king.		
		1					
		2					
							[2]
	(ii)	Complete hydrocarb		uation fo	the cracking	of tetradecand	e to form <b>two</b> different
			C <sub>14</sub> H <sub>3</sub>	$_{0}$ $\rightarrow$ $C_{3}H$	6 +		[1]
(f)	Eth	anol can be	e manufactured fr	om ethen	e.		
	Cor	mplete the	word equation for	this reac	tion.		
			ethene +	•••••	→	ethanol	[1]
(g)	Eth	ene can be	polymerised to for	orm poly(	ethene).		
	Cor	mplete the	sentence about th	is reactio	n using words	from the list.	
	a	addition	condensation	ions	monomers	oxidation	polymers
	Eth	ene	comb	ine to for	m poly(ethene)	by	polymerisation. [2]
							[Total: 12]

- **5** This question is about metals.
  - (a) Magnesium is manufactured by the electrolysis of molten magnesium chloride.



(i)	What information in the diagram shows that molten magnesium is less dense than molter magnesium chloride?
	[1]
(ii)	One of the products of this electrolysis is magnesium.
	State the name of the other product.
	[1]
An	unreactive gas is blown over the surface of the molten magnesium.
iii)	Suggest why an unreactive gas and <b>not</b> air is blown over the surface of the molter magnesium.
	[1]
iv)	Suggest the name of an unreactive gas which could be used.
	TAI

**(b)** The table shows some properties of four metals.

metal	density in g/cm³	melting point in °C	relative strength	relative electrical conductivity
aluminium	2.7	660	7	9
cobalt	8.9	1495	21	4
gallium	5.9	30	1	1
nickel	8.9	1455	20	3

Answer these questions using **only** the information shown in the table.

	(i)	Which metal is most suitable to make the body of an aircraft? Give a reason for your answer.	
	/ii\	Which motal is most suitable to use for everboad newer cables?	[2]
	(ii)	Which metal is most suitable to use for overhead power cables?  Give a reason for your answer.	
			[2]
(	iii)	Which <b>two</b> metals in the table are transition elements?	
		and	[1]
(c)		e <b>two</b> properties of transition elements which are <b>not</b> shown by Group I elements.	
	2		 [2]
(d)	Cok	palt is added to iron to make steel alloys.	
	(i)	What is meant by the term alloy?	
			[1]
	(ii)	Give <b>one</b> reason why alloys are used instead of pure metals.	
			[1]
		[Total:	13]

This q	This question is about sultur and its compounds.		
(a) N	atural gas contains hydrocarbons and hydrogen sulfide.		
(i)	Give the name of the hydrocarbon which is present in the greatest concentration in natural gas.		
	[1]		
(ii)	Hydrogen sulfide is removed from natural gas by reaction with oxygen in the presence of a catalyst.		
	What is the purpose of a catalyst?		
	[1]		
(b) (i)	Name the acid manufactured from sulfur.		
	[1]		
(ii)	When fossil fuels containing sulfur are burned, sulfur dioxide is formed. Sulfur dioxide contributes to acid rain.		
	Give one harmful effect of acid rain on buildings.		
	[1]		
(iii)	Sulfur dioxide is oxidised by nitrogen dioxide in the atmosphere to form sulfur trioxide.		
	$SO_2 + NO_2 \rightarrow SO_3 + NO$		
	How does this equation show that sulfur dioxide is oxidised?		
	[1]		
	[Total: 5]		

Acids	have charact	eristic chemi	ical properties.			
(a) [	calcium ox magnesiu	kide	ydrochloric aci	d with:		
						[5]
(b) A	cids react wit	h alkalis sucl	h as sodium hy	/droxide.		
(	) What type	of chemical	reaction is this	?		
						[1]
(i			ing pH values is ne correct ansv		queous solution of so	odium hydroxide?
		pH 2	pH 5	pH 7	pH 13	[1]
(ii	-		droxide and ar	mmonium sulfa	te is warmed gently.	ניז
						[1]

(iv)	The melting point of sodium hydroxide is 319 °C. The boiling point of sodium hydroxide is 1390 °C.	
	Which <b>one</b> of the following statements about sodium hydroxide is correct? Tick <b>one</b> box.	
	Pure sodium hydroxide melts over a range of temperatures.	
	Impure sodium hydroxide has a sharp melting point.	
	Pure sodium hydroxide boils between 319 °C and 1390 °C.	
	Pure sodium hydroxide has a sharp boiling point.	[1]
(v)	Sodium hydroxide is used in the manufacture of some medicines.	
	Why is it important that the ingredients used in medicines are pure?	
		[1]
		[Total: 10]

0	This question is about from and its compounds.	

(a)	A student investigates the rate of reaction of 1 g of iron powder with 25 cm³ of hydrochloric acid of concentration 2.0 mol/dm³. The temperature is 20 °C.			
	Wh	at effect do the following have on the initial rate of this reaction?		
	(i)	Using hydrochloric acid of concentration 1.2 mol/dm³. All other conditions are kept the same.		
			[1]	
	(ii)	Using a piece of iron of mass 1g. All other conditions are kept the same.		
			[1]	
(	(iii)	Carrying out the experiment at 25 °C. All other conditions are kept the same.		
			[1]	
(b)	Sid	erite is an ore of iron.		

(i)	State the name of <b>one</b> other ore of iron.
	[1]
(ii)	Siderite contains mainly iron(II) carbonate.
	Describe how to show that siderite contains a carbonate.
	াথ

(c) Iron can be extracted from its oxide by reduction with carbon.

The table shows how easy it is to reduce four metal oxides by heating with carbon.

metal oxide	ease of reduction with carbon
bismuth(III) oxide	only reduced above 250 °C
iron(III) oxide	only reduced above 650 °C
tin(II) oxide	only reduced above 500 °C
titanium(IV) oxide	not reduced at 700 °C

Use this information to put the metals in order of their reactivity. Put the least reactive metal first.

least reactive —		-	most reactive	
				[2]

[Total: 9]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

## **The Periodic Table of Elements**

Group																	
I	П										Ш	IV	V	VI	VII	VIII	
	Key 1 hydrogen 1																
3	4	atomic number										5	6	7	8	9	10
Li	Be		ato	mic sym	bol							В	С	N	0	F	Ne
lithium 7	beryllium 9		rela	name ative atomic m	ass							boron 11	carbon 12	nitrogen 14	oxygen 16	fluorine 19	neon 20
11	12					Į						13	14	15	16	17	18
Na	Mg											Αl	Si	Р	S	Cl	Ar
sodium 23	magnesium 24											aluminium 27	silicon 28	phosphorus 31	sulfur 32	chlorine 35.5	argon 40
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
potassium 39	calcium 40	scandium 45	titanium 48	vanadium 51	chromium 52	manganese 55	iron 56	cobalt 59	nickel 59	copper 64	zinc 65	gallium 70	germanium 73	arsenic 75	selenium 79	bromine 80	krypton 84
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr	Υ	Zr	Nb	Мо	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
rubidium 85	strontium 88	yttrium 89	zirconium 91	niobium 93	molybdenum 96	technetium -	ruthenium 101	rhodium 103	palladium 106	silver 108	cadmium 112	indium 115	tin 119	antimony 122	tellurium 128	iodine 127	xenon 131
55	56	57–71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ва	lanthanoids	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	T1	Pb	Bi	Po	At	Rn
caesium 133	barium 137		hafnium 178	tantalum 181	tungsten 184	rhenium 186	osmium 190	iridium 192	platinum 195	gold 197	mercury 201	thallium 204	lead 207	bismuth 209	polonium —	astatine –	radon —
87	88	89–103	104	105	106	107	108	109	110	111	112		114		116		
Fr	Ra	actinoids	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Cn		F1		Lv		
francium	radium		rutherfordium	dubnium	seaborgium	bohrium	hassium	meitnerium	darmstadtium	roentgenium	copernicium		flerovium		livermorium		
_	_		-	_	_	_	-	_	_	_	_		_		_		

	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
lanthanoids	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Но	Er	Tm	Yb	Lu
	lanthanum	cerium	praseodymium	neodymium	promethium	samarium	europium	gadolinium	terbium	dysprosium	holmium	erbium	thulium	ytterbium	lutetium
	139	140	141	144	-	150	152	157	159	163	165	167	169	173	175
	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103
actinoids	Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium
	_	232	231	238	_	_	_	_	_	_	_	_	_	_	-

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).