

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

#### **CO-ORDINATED SCIENCES**

0654/33 May/June 2017

Paper 3 Theory (Core) MARK SCHEME Maximum Mark: 120

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

® IGCSE is a registered trademark.

Question	Answer	Marks
1(a)(i)	C ; B ; A ;	3
1(a)(ii)	accept a label drawn anywhere between the larynx and the top of the bronchus ;	1
1(b)	higher ; lower ; down ;	3
1(c)(i)	less oxygen ; more water ; warmer / higher temperature ;	max 2
1(c)(ii)	faster / more frequent / more breaths ; deeper ;	2

Question	Answer	Marks
2(a)(i)	number of protons ; in one atom (of an element) ;	2
2(a)(ii)	water is not an element / is a compound / only elements in Periodic Table ;	1
2(a)(iii)	22 ; 18 ;	2
2(a)(iv)	air ;	1
2(a)(v)	argon does not react with the steel / argon is unreactive ;	1
2(b)(i)	the higher the temperature the higher the solubility ;	1
2(b)(ii)	at 30 °C maximum mass that dissolves is (about) 47 g / less than 60 g ; so not all the solid can dissolve / some solid settles out / owtte ;	2

May/June	2017
----------	------

Question	Answer	Marks
3(a)(i)	scrotum secretes fluid to make semen	3
	prostate gland carries sperm	
	sperm duct semen and urine leave the body	
	penis holds the testes ;;;	
3(a)(ii)	'X' on testis ;	1
3(b)(i)	egg / ova / ovum ;	1
3(b)(ii)	fertilisation ;	1
3(b)(iii)	zygote ;	1

Question	Answer	Marks
4(a)	distance = 687 000 (m) ; time = 777 600 (s) ; 0.88 (m / s) ;	3
4(b)	area ; force (weight) ;	2
4(c)(i)	20 Hz to 20 000 Hz ;	1
4(c)(ii)	any value between 20 000 to 35 000 Hz ;	1
4(d)	named electromagnetic wave ; use ;	2

Question	Answer	Marks
5(a)(i)	sulfur dioxide ; sulfur dioxide dissolves in / reacts with (rain) water / sulfur dioxide is a non-metal oxide ;	2
5(a)(ii)	sulfuric (acid) ; (calcium) carbonate ; carbon dioxide ;	3
5(b)(i)	7;	1
5(b)(ii)	liquid <b>F</b> is the most acidic ; so highest rate of reaction with magnesium / the more concentrated the acid the higher the rate that gas is produced ;	2
5(b)(iii)	temperature also affects rate / reference to fair testing ;	1

Question	Answer	Marks
6(a)(i)	(rate of) water uptake / transpiration increases then decreases ; extra detail e.g. increases until / peaks at, 1200 / 25 g / h ;	2
6(a)(ii)	stomata shut ; lower temperature ; no light ; reduced wind speed ; increased humidity ;	max 2
6(a)(iii)	22 (grams per hour) ;	1
6(b)(i)	CBEAD ;	1
6(b)(ii)	absorb mineral ions ;	1
6(b)(iii)	photosynthesis ; transport (ions / sugars) ; support / turgor ; growth / part of cytoplasm ;	max 1

Question	Answer	Marks
7(a)(i)	8 (m / s) ;	1
7(a)(ii)	<b>X</b> at 100 s ;	1
7(b)	S greater than Q ; S and Q in opposite directions ;	2
7(c)(i)	move faster ;	1
7(c)(ii)	more frequent collisions / collide at greater speed (with wall) ; more force exerted on tyre walls ;	2
7(d)	ray enters undeviated and first reflection ; second reflection and exit from prism ;	2
7(e)(i)	I = V/R; = 24/5.6 = 4.29A;	2
7(e)(ii)	if one lamp fails the other will still light up / work / have a complete circuit ;	1

Question	Answer	Marks
8(a)(i)	chromatography ;	1
8(a)(ii)	no new substances produced / only separating existing substances ;	1
8(b)	polymerisation ; reduction ; cracking ;	3
8(c)(i)	negative electrode inside the tube labelled cathode ; solution labelled electrolyte ;	2
8(c)(ii)	<pre>P is oxygen ; Q is hydrogen ;</pre>	2
8(d)	sulfate ;	1

Question	Answer	Marks
9(a)	milk ; butter ; tuna fish ;	3
9(b)(i)	provide energy / insulation ;	1
9(b)(ii)	carbon, hydrogen and oxygen ;	1
9(b)(iii)	fatty acids and glycerol ;	1
9(c)	any two of the following movement respiration excretion sensitivity reproduction growth ;;	max 2

Question	Answer	Marks
10(a)	A; C; B/D;	3
10(b)(i)	plant / grow, more, trees / plants ; reduce combustion of fossil fuels ;	2
10(b)(ii)	global warming ;	1

Question	Answer	Marks
11(a)	doesn't work at night / when there is little light ;	1
11(b)	convection ;	1
11(c)(i)	atoms of the same element that have same proton number but different neutron number etc. ;	1
11(c)(ii)	2p + 2n / helium nucleus ;	1
11(c)(iii)	ionises atoms / molecules in cells ; causes mutation / cancer ;	2
11(c)(iv)	alpha particles are absorbed by 5cm of air ;	1
11(d)	laterally inverted same size not upside down virtual one correct one mark ;	2
	all three correct two marks ;	

Question	Answer	Marks
12(a)	KE of waves to KE of moving air ; KE of moving air to KE of turbine ; KE of turbine to KE of generator ; KE of generator to electrical energy ;	max 2
12(b)	will not run out ; fossil fuels can be used for other purposes ; less pollution than using fossil fuels ;	max 2
12(c)(i)	0.4 (m) ;	1
12(c)(ii)	4 (m) ;	1
12(d)(i)	evaporation ;	1
12(d)(ii)	freezing ;	1
12(d)(iii)	volume = mass / density ; = 500 / 0.93 = 537.6 (cm <sup>3</sup> ) ;	2

Question	Answer	Marks
13(a)	C - C single bond / $- O - H$ ; all else correct ;	2
13(b)(i)	(fractional) distillation ;	1
13(b)(ii)	it is a condenser / condenses (hot) vapours to liquid ;	1
13(b)(iii)	ethanol has a lower boiling point / ethanol easier to boil than water ;	1
13(c)(i)	flame ; pops ;	2
13(c)(ii)	gas / hydrogen released ;	1
13(c)(iii)	reaction speed higher in water ;	1
13(d)	in any order water because it turns cobalt chloride from blue to pink ; carbon dioxide because it turns limewater milky ;	2