CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2013 series

0445 DESIGN AND TECHNOLOGY

0445/32 Paper 3 (Resistant Materials), maximum raw mark 50

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2013	0445	32

Section A

Lightweight, easy to cut/join/shape/work with/use. (2 × 1)

- Brittle, liable to breaking off corners and/or edges, difficult to construct traditional joints, difficult to finish. (2 × 1)
- 6 Lightweight material, comfortable moulded shape, can be colourful, resistance to outdoors. (2 × 1) [2]
- 7 Accuracy of completed joint (0–3) Award max. 2 marks if assembled [3]
- 8 One wide board not practical, grain inverted for stability, boards/tree not wide enough, makes table top stronger. (2 × 1) [2]

9

1

Tool	Name	Specific use
	Pincers	Pulling out pins or nails
28	Mortise gauge	Marking a pair of parallel lines, marking out a mortise and tenon joint

[4]

[2]

	Do	Page 3 Mark Scheme Syllabus Paper					Danar		
	Pa	ge s	·	IGCSF	Mark Scheme - October/Novemb	er 2013	Syllabus 0445	Paper 32	
10	Boa	at hu posa	•	liquid bottle	polythene polyester resin, Gl polypropylene, po polypropylene, nyl	RP lystyrene, Styro	foam, polythene	[4	
					Section	n B			
11	(a)	Marked out using a combination of: pencil, marking knife, rule, mortise and cutting gaustry square. Award 0–3 dependent upon technical accuracy/quality of communication. Cut out and fitted using combination of: tenon saw, coping saw, chisel and mallet, files. Award 0–3 dependent upon technical accuracy/quality of communication.							
	(b)) 4 cramps shown in correct position. 2 cramps in one direction and 2 at 90°. (0–2) 2 cramps only (1) Corner cramps: top & bottom each corner (2) Corner cramps: top or bottom only (1) Use of scrap wood to prevent bruising and even pressure (1)							
		Sash cramps / corner cramps named (1)							
		Suit	table	adhesive. Acc	ept wide range of ger	eric or trade na	imes (1)	[5	
	(c)	(i) (ii)	roug Acce smo	phly, file up to nept hole saw: hole saw: hoth off using file	sert blade from copin nark. (4 × 1 stages) ole saw drawn/name e/wet and dry. (4 × 1 e precaution that mus	d, fit in drill, clar stages)	mped work piece,	t, cut out shape	
		()	Saw Drilli	ring: keep low i ing: correct spe	n vice, clamped in po eed, drill angle, clamp using mop, no loose	sition, correct s ed securely.		[1	
	(d)		_		or applied beads/blocl quipment used, accur		on. (3 × 1)	[3	
	(e)	Some form of handle attached to 2 sides or jointed into top edge of 2 sides. Practical idea (0–2) Appropriate shape/sizes (0–2) Materials (0–1) Constructions and fittings (0–1)							
		Cut out handholds: Practical idea (0–2) Appropriate shape/sizes (0–2) Constructions and tools/equipment (0–2)							

	Page 4			Mark Scheme					Syllab	us	Paper	·]		
					IGCSE	- Octo	ober/No	ovemb	er 2013		0445		32	
12	(a)	Relati	vely	y chea	p, plenti	ful, can	n be wo	rked/joi	ined in a	variety	of ways. (2	2 × 1)		[2]
	(b)	B [centre/dot] punch, hammer (1)												[3]
	(c)	Held i	n vi	ice (1)										
		Use o	f fo	lding b	ars /scr	ap woo	d forme	er (1)						
		Force	rec	quired	by hamı	mer and	d scrap	wood o	or mallet	t (1)				[3]
	(d)	cloth,	flux	x joint		n on h	earth v				l to clean u heat to briç	•		-
	(e)	drill ta	ppi	ng siz	e hole, i	nsert ta	ip into t	ap wrei		rt cut, a	ppropriate t			
		Position	on d	die on	die stoc end of r endent (od, app	propriate	e techn	ique.	and qua	ility of comr	nunicat	tion.	[6]
	(f)				stop' or ' to supp				n end.					[2]
	(g)	Stand	ca	n be n	nore stal	ble by r	neans o	of incre	ased wid	dth of m	netal, additio	onal ba	se.	
		Stabili Both o	ity f dire	ront to	` '		side (1)							
		Heavi Releva			2) to supp	ort idea	а.						(0–2) (0–1)	[3]
13	(a)	Plywo finishe				o shap	e easily	y, stren	igth in a	ll direct	ions/ no gr	ain we	akness, ca	an be [2]
	(b)				ippearar (2 × 1)	nce, ch	eck imp	portant	sizes, p	orevents	s wasting re	esistant	t materials	, can [2]

Pa	ge 5		Mark Scheme	Syllabus	Paper					
			IGCSE – October/November 2013	0445	32					
(c)	Use of male and female formers shown clearly Cork or rubber sheet between plywood and formers Pressure applied by means of cramps Accuracy /quality of communication									
	Use of vacuum forming bag award 4 × 1 for specific stages: use of former, adl bag, withdraw air Accuracy /quality of communication									
(d)	• •	Awa	only joint that can work is a halving joint. rd max. 2 marks for uneven 'halves' rd 0–3 marks dependent upon accuracy/quality of jo	oint drawn		[3]				
			e variety of adhesives: generically, e.g. synthetic rescamite, Aerolite, Resin 'W'	sin, PVA or trade	names suc	h as [1]				
(e)	(i)	Stan	les in preparation include: glasspaper and cork rub	her/block with 2 /	different ars	adae				
(0)	• •	wipe	e dust off with a damp cloth. rd 0–3 marks dependent upon the accuracy and def		amoroni gre	[3]				
			able finish: wide range of varnishes, preservatives a rd 1 mark for appropriate named finish.	nd oils.						
			son includes: enhance appearance, protect, preservrd 1 mark for sensible reason.	ve, keep clean.		[2]				
(f)	Prac	ctical	ideas: solid wood base, separate pieces attached to	o provide stability	,					
	Award 0–2 for a practical idea Methods of construction clearly shown/ appropriate 2 important sizes (