

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

## **DESIGN AND TECHNOLOGY**

0445/23 October/November 2016

Paper 2 Graphic Products MARK SCHEME Maximum Mark: 50

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

 $\ensuremath{\textcircled{B}}$  IGCSE is the registered trademark of Cambridge International Examinations.

Pa	Page 2				Paper
			Cambridge IGCSE – October/November 2016	0445	23
A1	(a)	Out Wo	AGILE ter box completed in isometric and in good proportion [1] rd FRAGILE added (any size or style) [1] rd FRAGILE added in isometric and in good proportion [1]		
		Iso [1]	<b>ow</b> ow added to correct surface [1] metric arrow added in the same style as shown on the front view (no metric arrow to overlay [1]	ot a single lir	ne arrow) [6
	(b)		n <b>t</b> izontal line added [1] tical line added [1]		
			<b>d</b> ter box completed to overlay [1] ping line added (lower line matches front and higher point in approx	imate positio	on) [1]
A2	(a)	Res Eas Doe Sm	ceptable reasons include: sists moisture [1] sy to apply [1] es not require glue to fix to the box [1] ooth flat surface for printing on [1] ailable in a range of colours [1]		[4
	(b)		ne understanding that an inner liner is required or the top and botto different sizes [1]	m of the box	[2 need to
		Ske	etched and notes/labels clearly communicate the design for a lift off es correct length or 4 sides	lid [1] Liner I	
A3	(a)	(i)	Planometric drawing of 'X' pieces completed (any size and thickne Width and height of the surfaces match the given surface [1] Thickness shown [1]	ss)[1] - T s	[2 hape [0]
			Corrugations added to the top edges [1]		[4
		(ii)	Two slots drawn on the centre line [1] *Both slots of a consistent width [1] *Both slots half the height of the material [1]		
			*Slots can be on the top or bottom surface but not sides		[3]

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0445	23

 (b) Three bars of a consistent width drawn [1] Accurate scale plotted on the vertical axis [1] Labels on the horizontal axis [1] Data correctly plotted to scale shown [1]

[4]

[Total: 25]

Pa	age 4	4		yllabus	Paper
			Cambridge IGCSE – October/November 2016	0445	23
			Section B		
B4	(a)	<b>Ba</b> 1 2 3 4 5	se Top line of right side of base extended ( to VP1) [1] Top line of left side of base drawn from VP1 [1] Vertical corner of base completed [1] Right side top edge of base added [1] Left side back edge of base added [1]		
		<b>Up</b> 6 7 8	right Bottom edge drawn from VP1 [1] Top edge of upright drawn from VP1 [1] Left upright added to candidate solution [1]		
		11 12	Top front edge completed to VP1 [1] Bottom front edge completed (to VP1) [1] Underside back edge drawn [1] Underside back edge drawn to VP1[1] Vertical end to shelf [1] Underside drawn to VP2 [1]		
		Dra	awing correctly lined I [1]		
					[15]
	(b)	(i) (ii)	Three layers shown [1] Top and bottom layers labelled as card or paper [1] Middle layer labelled as foam (or polystyrene) [1] Acceptable answers include:		[3]
			Easy to cut [1] Lightweight [1] Smooth flat surface for printing on [1] Rigid [1] Available in a range of colours [1]		
			Can be written on [1]		[2]
	(c)	(i)	Stanley knife or craft knife or scalpel [1] – do not accept 'Knife' Safety / steel rule or metal straight edge [1]		[0]
		(ii)	Notes and sketch show: Understanding that a stencil is a sheet with letters cut out [1] Stencil positioned against the foam board [1]		[2]
			Pencil, pen or stippling brush, air brush, spray can used to apply the I	etters [1]	[3]
				I	[Total: 25]

Page	5 Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0445	23
	Backing Card    Corner 1 of backing card (original) drawn to VP  [1]    Any top and bottom line of backing card drawn  [1]    Top and bottom line of backing card drawn parallel  [1]    Right hand upright of backing card shown vertical  [1]    Blister  [1]    Any four lines of blister rectangle (back) completed  [1]    Four lines of blister rectangle (back) completed  [1]    Four lines of blister rectangle p// in pair 1 to rect back  [1]    Any top rectangle drawn  [1]    Top rectangle smaller than backing rectangle  [1]    Four sloping lines  4×1    Key stages in lithography include:  [1]    Original image [1]  [1]    Digital image [1]  [1]    Colour separation [1]  [1]    Plate preparation [1]  [1]    Plate preparation [1]  [1]    Separate printing of each colour [1]  [1]    Any 5 from 7 for [5] marks		[14]
	Quality of communication [1]		
	Tick ( $\checkmark$ ) to show each stage		[7]
			[7]
(c)	The flange is required so that the blister and card backing can with glue, staple or double-sided tape [1]	be joined toge	
			[2]
(d)	Modification allows the blister package to hang on a rack Sketch [1] Notes [1]		[2]
		[	Total: 25]