

**MARK SCHEME for the May/June 2010 question paper**  
**for the guidance of teachers**

**0417 INFORMATION AND COMMUNICATION  
TECHNOLOGY**

**0417/13** Paper 13 (Written), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Ques. No.	Answer	Part mark															
1	A Multimedia Projector C Dot Matrix Printer B Laser printer D Speakers	1, 1 1, 1															
2	DVD ROM Magnetic tape Graph plotter Projector Graphics tablet Trackerball	1 1															
3	<table border="1"> <thead> <tr> <th></th> <th>TRUE</th> <th>FALSE</th> </tr> </thead> <tbody> <tr> <td>A command line interface is a user friendly method of communication with a computer.</td> <td></td> <td>✓</td> </tr> <tr> <td>A desktop computer is not easily carried around.</td> <td>✓</td> <td></td> </tr> <tr> <td>A joystick is an example of hardware.</td> <td>✓</td> <td></td> </tr> <tr> <td>Output devices are examples of software.</td> <td></td> <td>✓</td> </tr> </tbody> </table>		TRUE	FALSE	A command line interface is a user friendly method of communication with a computer.		✓	A desktop computer is not easily carried around.	✓		A joystick is an example of hardware.	✓		Output devices are examples of software.		✓	1 1 1 1
	TRUE	FALSE															
A command line interface is a user friendly method of communication with a computer.		✓															
A desktop computer is not easily carried around.	✓																
A joystick is an example of hardware.	✓																
Output devices are examples of software.		✓															
4		1 1 1 1 1															
5 (a)	<b>a WAN</b> is a network connecting several LANs	1															
(b)	<b>a WLAN</b> is a network with very little cabling	1															
(c)	<b>a router</b> can allow networked computers to connect to the internet	1															
(d)	<b>bluetooth</b> is used to connect two mobile devices to each other	1															

<b>6</b>	It is easier to transfer data to other computers using optical media rather than fixed hard discs.	✓	<b>1</b>	
	Optical media are cheaper to buy than magnetic media.	✓		
	Optical media store more data than magnetic media.		<b>1</b>	
	Data is easier to encrypt on optical media.			
	Optical media provide quicker access to individual data items than magnetic tape.	✓		
	CD ROMs are easier to update than magnetic media.			
<b>7</b>	<b>LEFT</b> 90 <b>REPEAT</b> 8 <b>FORWARD</b> 60 <b>RIGHT</b> 45 <b>END REPEAT</b>		<b>5</b>	
1 mark for each correct statement				
<b>8</b>	Sending emails		<b>1</b>	
	Text messaging	✓		
	Sending a photograph as soon as it has been taken	✓	<b>1</b>	
	Using the Internet			
	Making a phone call wherever you are	✓		
	Leaving messages when somebody is not available			
<b>9</b>		<b>TRUE</b>	<b>FALSE</b>	<b>1</b>
	Blogging		✓	
	Booking a cinema ticket		✓	
	Pharming	✓		
	Phishing	✓		

<b>Page 4</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2010</b>	<b>0417</b>	<b>13</b>

<b>10 (a)</b>	<b>Three from:</b> Pulse rate/heart rate Temperature Blood pressure Glucose level Rate of respiration Level of oxygen in the patient's blood		<b>3</b>												
<b>(b)</b>	Sensors feed back/physical variables are analogue data Computers can only work with digital data/binary data		<b>1</b> <b>1</b>												
<b>(c)</b>	<table border="1"> <tr> <td>Nurses always make mistakes.</td> <td></td> </tr> <tr> <td>Computers can monitor continuously without taking breaks.</td> <td>✓</td> </tr> <tr> <td>Computers can measure more than one variable at the same time.</td> <td>✓</td> </tr> <tr> <td>Computers can take readings more frequently.</td> <td>✓</td> </tr> <tr> <td>Nurses cannot take readings regularly.</td> <td></td> </tr> <tr> <td>Computers can analyse the results.</td> <td></td> </tr> </table>	Nurses always make mistakes.		Computers can monitor continuously without taking breaks.	✓	Computers can measure more than one variable at the same time.	✓	Computers can take readings more frequently.	✓	Nurses cannot take readings regularly.		Computers can analyse the results.			<b>1</b> <b>1</b> <b>1</b>
Nurses always make mistakes.															
Computers can monitor continuously without taking breaks.	✓														
Computers can measure more than one variable at the same time.	✓														
Computers can take readings more frequently.	✓														
Nurses cannot take readings regularly.															
Computers can analyse the results.															
<b>(d)</b>	<b>Two from:</b> Printouts are continuous Need different colours for each variable High quality printout		<b>2</b>												
<b>(e)</b>	<b>Two from:</b> (footprint) Space may be limited Easier to keep clean than other devices Surgeons – gloves which would make it more difficult to control other devices		<b>2</b>												
<b>11 (a)</b>	B3		<b>1</b>												
<b>(b)</b>	Any of A1:A5, A1:F1 or E7		<b>1</b>												
<b>(c)</b>	=C4-B4		<b>1</b>												
<b>(d)</b>	=D2*E2 or =E2*D2		<b>1</b>												
<b>(e)</b>	Replication/copy and paste/fill down		<b>1</b>												
<b>(f)</b>	6		<b>1</b>												
<b>(g)</b>	=SUM(F2:F5) OR =F2+F3+F4+F5		<b>1</b>												
<b>(h)</b>	F7		<b>1</b>												
<b>(i)</b>	D2 F2 F7		<b>1</b> <b>1</b> <b>1</b>												

<b>Page 5</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2010</b>	<b>0417</b>	<b>13</b>

<b>12 (a)</b>	<p><b>Two</b> from:  Only one printer is needed  Only one scanner is needed  Data can be shared between computers/data can be accessed by one computer from another <u>more easily</u>  Software can be shared  All computers can access the internet <u>through one connection</u>  Network games can be played</p>	<b>2</b>								
<b>(b)</b>	<p><b>Two</b> from:  Viruses will be more easily spread  All computers would now be susceptible to hackers  If all computers are using the internet at the same time there will be speed issues</p>	<b>2</b>								
<b>13 (a)</b>	<table border="1"> <tr> <td>Firewall</td> <td></td> </tr> <tr> <td>Passwords</td> <td>✓</td> </tr> <tr> <td>Biometrics</td> <td>✓</td> </tr> <tr> <td>An intranet</td> <td></td> </tr> </table>	Firewall		Passwords	✓	Biometrics	✓	An intranet		<b>1</b> <b>1</b>
Firewall										
Passwords	✓									
Biometrics	✓									
An intranet										
<b>(b)</b>	<table border="1"> <tr> <td>It makes it impossible to access computer systems.</td> <td></td> </tr> <tr> <td>Only authorised users can understand the data.</td> <td>✓</td> </tr> <tr> <td>A key is needed to decrypt data.</td> <td>✓</td> </tr> <tr> <td>It prevents viruses.</td> <td></td> </tr> </table>	It makes it impossible to access computer systems.		Only authorised users can understand the data.	✓	A key is needed to decrypt data.	✓	It prevents viruses.		<b>1</b> <b>1</b>
It makes it impossible to access computer systems.										
Only authorised users can understand the data.	✓									
A key is needed to decrypt data.	✓									
It prevents viruses.										

<b>14 (a)</b>		True (✓)	False (✓)	<b>1</b>	
	Examining documents helps to identify the inputs and outputs.	✓			<b>1</b>
	A questionnaire makes the workers feel good.		✓		<b>1</b>
	An interviewer can ask questions based on the previous response.	✓			<b>1</b>
	Observing the current system helps to identify any problems with it.	✓		<b>1</b>	
<b>(b)</b>	Field names		✓	<b>1</b>	
	Screen layout				
	Field types		✓	<b>1</b>	
	Key field		✓	<b>1</b>	
	Field lengths		✓	<b>1</b>	
	User needs				
	System specification				
	Input forms				
<b>15 (a)</b>	Direct changeover			<b>1</b>	
<b>(b)</b>	Parallel running			<b>1</b>	
<b>(c)</b>	Phased/Pilot running			<b>1</b>	

16	<p><b>Two</b> strategies and <b>two</b> reasons from:</p> <p>User testing To ensure system meets the needs of the user</p> <p><i>Other answers will depend on method of implementation – e.g.</i></p> <p><i>Phased implementation</i> (User) testing each module with normal/live data To see how system behaves in an ordinary day to day situation/system works as you would expect i.e. no error messages</p> <p>(User) testing each module with abnormal/extreme data To see how system reacts in unusual circumstances/to make sure error messages appear when data is abnormal</p> <p><i>Direct changeover</i> (User) testing whole system To ensure the whole system works when all modules are combined</p> <p><i>Parallel running</i> Analysis of user's results To compare the two systems/to ensure all processing/calculations is/are accurate</p>	2 + 2																	
17	<p><b>Three</b> from:</p> <p>Modem/router to connect to the internet ISP to provide internet/email access Email software/internet browser to create/send/receive emails Password to access email account Email address(es) to send/receive emails</p>	3																	
18	<table border="1"> <tr> <td data-bbox="244 1274 1217 1339">The customer types in the PIN.</td> <td data-bbox="1217 1274 1310 1339">1</td> <td data-bbox="1310 1274 1348 1805" rowspan="8">1</td> </tr> <tr> <td data-bbox="244 1339 1217 1404">If they are the same the customer is asked which service is required.</td> <td data-bbox="1217 1339 1310 1404">3</td> </tr> <tr> <td data-bbox="244 1404 1217 1469">The customer's account is checked to see if it has sufficient funds.</td> <td data-bbox="1217 1404 1310 1469">6/7</td> </tr> <tr> <td data-bbox="244 1469 1217 1534">The amount is checked against the card limit.</td> <td data-bbox="1217 1469 1310 1534">7/6</td> </tr> <tr> <td data-bbox="244 1534 1217 1599">The PIN number is compared with the PIN stored in the chip.</td> <td data-bbox="1217 1534 1310 1599">2</td> </tr> <tr> <td data-bbox="244 1599 1217 1664">The customer selects required service (cash).</td> <td data-bbox="1217 1599 1310 1664">4</td> </tr> <tr> <td data-bbox="244 1664 1217 1729">If there are sufficient funds and the amount is within the card limit the required notes are issued.</td> <td data-bbox="1217 1664 1310 1729">8</td> </tr> <tr> <td data-bbox="244 1729 1217 1794">The customer is asked how much money they want to withdraw.</td> <td data-bbox="1217 1729 1310 1794">5</td> </tr> </table>	The customer types in the PIN.	1	1	If they are the same the customer is asked which service is required.	3	The customer's account is checked to see if it has sufficient funds.	6/7	The amount is checked against the card limit.	7/6	The PIN number is compared with the PIN stored in the chip.	2	The customer selects required service (cash).	4	If there are sufficient funds and the amount is within the card limit the required notes are issued.	8	The customer is asked how much money they want to withdraw.	5	
The customer types in the PIN.	1	1																	
If they are the same the customer is asked which service is required.	3																		
The customer's account is checked to see if it has sufficient funds.	6/7																		
The amount is checked against the card limit.	7/6																		
The PIN number is compared with the PIN stored in the chip.	2																		
The customer selects required service (cash).	4																		
If there are sufficient funds and the amount is within the card limit the required notes are issued.	8																		
The customer is asked how much money they want to withdraw.	5																		

<b>Page 8</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2010</b>	<b>0417</b>	<b>13</b>

<b>19</b>	<p><b>Three</b> from:  Some situations are/real thing might be dangerous/it (model) is less dangerous  Saves expensive mistakes in the construction real thing/cost of rebuilding/repairing is expensive  Real thing may waste raw materials/natural resources  It may take a long time to obtain results from the real thing  Easier to modify  Extremes which can't be tested in real life can be tested using models</p>	<b>3</b>
<b>20</b>	<p><b>Three</b> from:  Check the last part of the URL (for example .gov, .ac, .ed, .sch should be reliable/.org, .co, .com less reliable).  See if responsible bodies have endorsed the site e.g. NGFL  Check the date of the last update  Are any advertisements present  Are there links to and from the website to and from well known reliable websites?  Checking the author's credentials</p>	<b>3</b>
<b>21 (a)</b>	<p><b>Two</b> from:  Usually single author  readers can add comments but not edit blog  Reverse chronological structure  Usually personal  External links</p>	<b>2</b>
<b>(b)</b>	<p><b>Two</b> from:  Usually many authors  Structure determined by content and users  Usually objective  Internal and external links  Contributors can edit entries</p>	<b>2</b>