



---

**MATHEMATICS**

**0580/32**

Paper 3 (Core)

**May/June 2017**

MARK SCHEME

Maximum Mark: 104

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

---

© IGCSE is a registered trademark.

This document consists of **6** printed pages.

**Abbreviations**

|      |                            |
|------|----------------------------|
| cao  | correct answer only        |
| dep  | dependent                  |
| FT   | follow through after error |
| isw  | ignore subsequent working  |
| oe   | or equivalent              |
| SC   | Special Case               |
| nfww | not from wrong working     |
| soi  | seen or implied            |

| Question | Answer  | Mark | Part marks   |
|----------|---|------|--|
| 1(a)     | 14.9[0]   | 3    | <b>M2</b> for $3 \times 2.8[0] + 2 \times 3.25$ or better<br>or<br><b>B1</b> for 8.4[0] or 6.5[0]  |
| 1(b)     | 4   | 1    |  |
|          | 3.4[0]  | 2    | <b>M1</b> for $20 - (\text{their } 4 \times 4.15)$   |
| 1(c)     | 8.74  | 2    | <b>M1</b> for $7.60 \times 1.15$ oe  |
| 1(d)     | 72  | 2    | <b>M1</b> for $96 \div 4 [\times 3]$   |
| 1(e)(i)  | 60  | 2    | <b>B1</b> for two from 9 or 36, 12.5, 11.5   |
| 1(e)(ii) | 5 nfww  | 3    | <b>M2</b> for $(\text{their } 60 \times 3) \div 36$ or better<br>or<br><b>M1</b> for $\text{their } 60 \times 3$ or better or $\text{their } 60 \div 36$ |
| 1(f)     | 5568  | 3    | <b>M2</b> for $6.4[0] \times 72.5 \times 12$ or better<br>or<br><b>M1</b> for $6.4[0] \times 72.5$ or $6.4[0] \times 12$                                 |
| 2(a)     | 10a final answer  | 1    |  |
| 2(b)     | $16f - 4g$ final answer<br>or<br>$4(4f - g)$ final answer | 3    | <b>M2</b> for $2 \times (5f + 2g) + 2 \times (3f - 4g)$ oe<br>or<br><b>B1</b> for $10f + 4g$ or $6f - 8g$ or $8f - 2g$ or $16f + kg$<br>or $kf - 4g$     |
| 2(c)(i)  | 125   | 2    | <b>M1</b> for $5 \times 7 + 9 \times 10$ or better   |
| 2(c)(ii) | 85  | 2    | <b>M1</b> for $4 \times 5^2 - 3 \times 5$ or better  |
| 2(d)     | 7   | 3    | <b>M1</b> for $15x - 30 [= 75]$ or $3x - 6 = 15$<br><b>M1FT</b> for correct second step  |
| 2(e)(i)  | $x + 4$<br>$4x$<br>$4x - 6$                               | 2    | <b>B1</b> for any two correct  |
| 2(e)(ii) | $x + x - 5 + x + 4 + 4x + 4x - 6 = 125$                   | 1    |  |

| Question    | Answer                            | Mark | Part marks   |
|-------------|-----------------------------------|------|--|
| 2(e)(iii)   | 12                                | 2    | <b>M1</b> for $11x = 125 + 7$ or $x - \frac{7}{11} = \frac{125}{11}$<br>or better  |
| 3(a)(i)     | 62                                | 1    |  |
| 3(a)(ii)(a) | $\frac{17}{84}$ oe isw            | 1    |  |
| 3(a)(ii)(b) | $\frac{21}{38}$ oe isw            | 1    |  |
| 3(a)(ii)(c) | $\frac{164}{210}$ oe isw          | 1    |  |
| 3(a)(iii)   | 43.5 oe                           | 2    | <b>M1</b> for an ordered list giving at least the first 5 or the last 5 numbers in order<br>or 42 and 45 identified  |
| 3(b)        | 3.44                              | 3    | <b>M2</b> for $(1 \times 5 + 2 \times 8 + 3 \times 12 + 4 \times 14 + 5 \times 7 + 6 \times 4) \div 50$ implied by $172 \div 50$<br>or<br><b>M1</b> for $(1 \times 5) + (2 \times 8) + (3 \times 12) + (4 \times 14) + (5 \times 7) + (6 \times 4)$ or 172 |
| 3(c)(i)     | 4 points plotted within tolerance | 2    | <b>B1</b> for 2 or 3 points plotted within tolerance   |
| 3(c)(ii)    | (10, 35) indicated                | 1    |  |
| 3(c)(iii)   | Positive                          | 1    |  |
| 3(c)(iv)    | Correct ruled line                | 1    |  |
| 3(c)(v)     | 28 to 32                          | 1    | If zero scored, <b>FT</b> their line of best fit if positive   |
| 4(a)(i)     | 36                                | 1    |  |
| 4(a)(ii)    | 4                                 | 1    |  |
| 4(a)(iii)   | 11                                | 1    |  |
| 4(a)(iv)    | 36 or 4 or both                   | 1    |  |
| 4(a)(v)     | 27                                | 1    |  |

| Question  | Answer   | Mark | Part marks   |
|-----------|--|------|--|
| 4(b)      | 160 cao  | 2    | <b>M1</b> for any common multiple $160n$<br>or any product that equals 160<br>or two lists of correct multiples of each number<br>or either number correctly reduced to its prime factors  |
| 4(c)(i)   | 8.3  | 1    |  |
| 4(c)(ii)  | 27   | 1    |  |
| 5(a)      | Rotation   | 1    |  |
|           | (0, 0) oe  | 1    |  |
|           | $90^\circ$ [anticlockwise] oe                              | 1    |  |
| 5(b)      | Enlargement  | 1    |  |
|           | (0, 2)   | 1    |  |
|           | [sf=]2   | 1    |  |
| 5(c)(i)   | Correct reflection points at (4, -2), (8, -2) and (4, -8)  | 1    |  |
| 5(c)(ii)  | Correct translation points at (-7, 5), (-4, 5) and (-4, 7) | 2    | <b>B1</b> for $\begin{pmatrix} -2 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 3 \end{pmatrix}$  |
| 5(c)(iii) | Correct rotation points at (-2, -2), (-4, -2) and (-2, -5) | 2    | <b>B1</b> for rotation of $180^\circ$ about the wrong centre   |
| 6(a)      | Completely correct ruled triangle with arcs                | 3    | <b>B1</b> for $AC$ of length 8 cm<br><b>B1</b> for $BC$ of length 7 cm<br><br>or if zero scored, <b>M1</b> for two correct intersecting arcs<br><br>If zero scored, <b>SC1</b> for ruled triangle with arcs with $AC$ of length 7 cm and $BC$ of length 8 cm |

| Question  | Answer   | Mark         | Part marks   |
|-----------|--|--------------|--|
| 6(b)      | Accurate ruled bisector of angle $S$ with two correct pairs of arcs and reaching side $QR$ | <b>B2</b>    | <b>B1</b> for correct ruled bisector of angle $S$ which reaches $QR$ drawn without arcs or with wrong arcs<br>or correct short line with arcs<br>or 2 pairs of correct arcs with no line |
|           | Accurate ruled bisector of side $SR$ with two correct pairs of arcs and reaching side $PQ$ | <b>B2</b>    | <b>B1</b> for correct ruled bisector of $SR$ which reaches $PQ$ drawn without arcs or with wrong arcs<br>or correct short line with arcs<br>or 2 pairs of correct arcs with no line      |
|           | correct region shaded  | <b>B1dep</b> | Dep. on a ruled line through angle $S$ and a ruled line through side $SR$  |
| 7(a)(i)   | 270  | <b>1</b>     |  |
| 7(a)(ii)  | 152  | <b>3</b>     | <b>M1</b> for $180 - 118$ soi by 62<br><br><b>M1</b> for $180 - 90 - their\ 62$ soi by 28 or better<br><b>and</b> $180 - their\ 28$<br>or<br>$90 + their\ 62$                            |
| 7(a)(iii) | 108  | <b>3</b>     | <b>M2</b> for $\sqrt{117^2 - 45^2}$ or better<br>or<br><b>M1</b> for $[...]^2 + 45^2 = 117^2$ or better  |
| 7(b)      | 40   | <b>3</b>     | <b>M1</b> for $180 - 171$ soi by 9<br><b>M1</b> for $360 \div their\ 9$  |
| 8(a)      | $-3, -5, -7.5, 7.5, 3.75, 3$   | <b>3</b>     | <b>B2</b> for 4 or 5 correct<br><b>B1</b> for 2 or 3 correct   |
| 8(b)      | Correct curve drawn  | <b>4</b>     | <b>B3FT</b> for 9 or 10 points correctly plotted<br>or<br><b>B2FT</b> for 7 or 8 points correctly plotted<br>or<br><b>B1FT</b> for 5 or 6 points correctly plotted                       |
| 8(c)      | $1.8 \leq x < 2$   | <b>1</b>     | If zero scored, then <b>FT</b> their graph   |
| 9(a)(i)   | 32   | <b>1</b>     |  |
|           | 38   | <b>1FT</b>   | <b>FT</b> <i>their</i> $32 + 6$  |
| 9(a)(ii)  | -2   | <b>1</b>     |  |
|           | -8   | <b>1FT</b>   | <b>FT</b> <i>their</i> $-2 - 6$  |

| Question | Answer                    | Mark     | Part marks   |
|----------|---------------------------|----------|--|
| 9(b)     | $11n + 3$ oe final answer | <b>2</b> | <b>B1</b> for $11n + k$ ( $k$ may be 0) or $jn + 3$ ( $j \neq 0$ )<br>or<br>$11n + 3$ or $14 + 11(n - 1)$ seen but not as final answer |
| 9(c)     | -5                        | <b>1</b> |  |
| 9(d)(i)  | $n^2 + 1$ oe              | <b>1</b> |  |
| 9(d)(ii) | $3n^2$ oe                 | <b>1</b> |  |