MARK SCHEME for the October/November 2015 series

0580 MATHEMATICS

0580/12

Paper 1 (Core), maximum raw mark 56

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



| Page 2 | Mark Scheme | | Paper |
|--------|---|------|-------|
| | Cambridge IGCSE – October/November 2015 | 0580 | 12 |

Abbreviations

| cao | correct answer only |
|------|----------------------------|
| dep | dependent |
| FT | follow through after error |
| isw | ignore subsequent working |
| oe | or equivalent |
| SC | Special Case |
| nfww | not from wrong working |

soi seen or implied

| Question | Answer | Mark | Part marks |
|---------------|--|------|--|
| 1 | 17 | 1 | |
| 2 | Parallelogram | 1 | |
| 3 | $\sqrt{3}$ | 1 | |
| | $[0.3=]\frac{3}{10}$ and $[\frac{1}{3}=]\frac{3}{9}$ or $\frac{1}{3}=0.33[3]$ | 1 | |
| | 1426.31 cao | 1 | |
| 5 (a) (b) | 1420.51 cao | 1 | |
| 6 | 520 final answer | 2 | M1 for $2600 \times 5 \times \frac{4}{100}$ oe |
| 7 | 694 or 694.4[4] | 2 | M1 for 950 ÷ 1.368 |
| 8 | 12 | 2 | M1 for $\frac{7.2}{x} = \frac{15}{25}$ oe or better eg $7.2 \times \frac{25}{15}$ |
| 9 | 4 <i>n</i> – 5 oe | 2 | M1 for $4n + k$ or for $jn - 5$ ($j \neq 0$) |
| 10 | 48.7 or 48.70 | 2 | M1 for $sin[=]\frac{14.5}{19.3}$ oe |
| 11 (a) | 6 cao | 1 | |
| (b) | 12 final answer | 1 | |
| 12 (a) | $\begin{pmatrix} 6\\ -3 \end{pmatrix}$ | 1 | |
| 12 (a) (b) | $\begin{pmatrix} -5\\7 \end{pmatrix}$ | 1 | |

Page 3Mark SchemeSyllabusPaperCambridge IGCSE – October/November 2015058012

| Question | Answer | Mark | Part marks | | |
|----------|---|------|---|--|--|
| 13 | $[y=]\frac{4R}{t}$ | 2 | M1 for a correct first step: $4R = ty$ or $\frac{R}{t} = \frac{1}{4}y$ | | |
| 14 (a) | 62.5[%] | 1 | | | |
| (b) | 130.35 cao | 1 | | | |
| 15 | correct triangle with correct arcs | 2 | B1 for correct triangle without arcs or 1 correct side with arcs | | |
| 16 | 10.96 cao | 3 | M2 for 4×1.27 + 3.5×1.68 or M1 for 4×1.27 or 3.5×1.68 | | |
| 17 | 54 | 3 | M2 for $14.4 \times \frac{15}{4}$ oe or M1 for $14.4 \div 4$ or $\frac{4}{15}$ associated with 14.4 If zero scored SC1 for final answer 19.6[4] | | |
| 18 | 3.5 nfww | 3 | M1 for Σfx soi M1 (dep) for $\div 24$ | | |
| 19 | 6.24 or 6.244 to 6.245 | 3 | M2 for $\sqrt{8^2 - 5^2}$ or M1 for $8^2 = 5^2 + x^2$ or better | | |
| 20 | $2\frac{3}{12}$ or $1\frac{15}{12}$ or $\frac{27}{12}$ or $\frac{9\times3}{4\times3}$ | M1 | Accept any correct conversion with common denominator $12k$ | | |
| | <i>their</i> $\left(\frac{27}{12} - \frac{11}{12} = \frac{16}{12}\right)$ oe | M1 | Correct resolving of <i>their</i> subtraction with denominator 12k showing full working | | |
| | $1\frac{1}{3}$ or $\frac{4}{3}$ cao | A1 | Working and then simplified answer must both be seen | | |
| 21 | 3, 3, 6, 7, 8 | 3 | B2 for two of: 5 numbers with mode 3 5 numbers with median 6 5 numbers with range 5 or B1 for one of them | | |
| 22 (a) | 44 to 48 | 1 | | | |
| (b) | 507 or 506.7 to 506.8 | 2 | M1 for $\pi \times 12.7^2$ | | |

| | Page | | Mark Sch | | Syllabus | Paper | |
|----|---|-----------------------|----------|---|---------------|-------|--|
| | Cambridge IGCSE – October/November 2015 0580 12 | | | | | | |
| Qu | Question Answer | | | Part ma | art marks | | |
| 23 | (a) | -8w + 20 final answer | 1 | | | | |
| | (b) | x(6x-1) | 1 | | | | |
| | (c) | 28 | 2 | M1 for $2 \times 7 \times 5 + 3 \times 7 \times (-2)$ or | for 70 or -42 | seen | |
| 24 | (a) | 111 to 115 | 1 | | | | |
| | (b) | 304 to 320 | 2 | B1 for 7.6 to 8.0 | | | |
| | (c) | [0]56 cao | 2 | M1 for 236–180 oe | | | |