## www.papaCambridge.com UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

## MARK SCHEME for the June 2005 question paper

## 0637 CHILD DEVELOPMENT

0637/01

Paper 1, maximum raw mark 100

These mark schemes are published as an aid to teachers and students, to indicate the requirements of the examination. They show the basis on which Examiners were initially instructed to award marks. They do not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published Report on the Examination.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the Report on the Examination.

• CIE will not enter into discussion or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the June 2005 guestion papers for most IGCSE and GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Grade threshold	<b>ds</b> for Syllabus	s 0637 (Child I	Development)	in the June 20	005 examinatio	Da Cambinge .com
	maximum	mir	nimum mark re	equired for gra		
	mark available	A	С	E	F	1
Component 1	100	75	53	42	30	

The threshold (minimum mark) for B is set halfway between those for Grades A and C. The threshold (minimum mark) for D is set halfway between those for Grades C and E. The threshold (minimum mark) for G is set as many marks below the F threshold as the E threshold is above it.

Grade A\* does not exist at the level of an individual component.

June 2005



IGCSE

MARKING SCHEME

## MAXIMUM MARK: 100

SYLLABUS/COMPONENT: 0637/01

CHILD DEVELOPMENT Paper 1

Page 1	Mark Scheme Syllabu	0
	IGCSE – JUNE 2005 0637	123
(a)	<b>SECTION A</b> Basic unit of society. Usually related by birth, marriage or adoption.	[2 x 1]
(b)	Extended family Nuclear family One parent family Step – families Shared – care families Foster families any 3	12 x 1]
(a)	Testes	
(b)	Ovary	[2 x 1]
	Contraception: sperm and egg prevented from meeting Ovulation prevented Fallopian tubes or sperm ducts cut etc.	
	Or three different methods of contraception	[3 x 1]
(a)	<ul> <li>Low sperm count</li> <li>Failure to ovulate</li> <li>Blocked fallopian tubes</li> <li>Cervical mucus too thick</li> <li>Hysterectomy any 3</li> </ul>	[3 x 1]
(b)	<ul> <li>Fertility drugs</li> <li>Operation to unblock fallopian tubes</li> <li>I.V.F.</li> <li>Donor insemination</li> <li>Garnete Intra – fallopian transfer</li> <li>Intra – Cyloplasmic sperm injection</li> <li>Surrogacy any 2</li> </ul>	[2 x 1]
(a)	Identical twins: Develop when a fertilised egg splits into two parts and each develops into an individual.	
	Non identical : Two eggs are released instead of one, and each is fertilised by a different sperm.	[2 x 2]
(b)	Enjoyment of two babies at once. Family complete with one pregnancy etc.	[2 x 1]
	Weaning : Gradual change over from a diet of milk to a variety of foods, both solid and liquid.	[1]
	Nature: Inherited intelligence/skills and abilities	
	Nurture: Environmental influence on development	[2 x 1]

	they are
Page 2 Mark Scheme Sylla IGCSE – JUNE 2005 063	
<ul> <li>Sight</li> <li>Hearing</li> <li>Smell</li> <li>Taste</li> <li>Touch</li> </ul>	инин, рарас 57 [4 x 1]
Production of milk Occurs 3 – 5 days after baby is born	[2 x 1]
	[Total: 30]
SECTION B	
(a) Any four, 1 mark for reason, 1 mark for suitable way comforting.	of
<ul> <li>Hunger – feed on demand (2 – 5 hours after last feed).</li> <li>Thirst – give boiled then cooled water.</li> <li>Discomfort – check nappy, temperature too hot or cold, light in eyes etc.</li> <li>Pain – if continuous, and 'cuddling' and holding does not comfort child; see doctor.</li> <li>Tiredness – 'rock' to sleep; leave to see if cries herself the sleep.</li> <li>Dislike of the dark – leave on a dim light.</li> <li>Loneliness – pick up and cuddle etc.</li> <li>Colic – pick up and cuddle etc., difficult to comfort.</li> <li>Boredom – carried around; prop up in pram; bouncind cradle.</li> <li>Noise – try to prevent sudden noises – cuddle; reassure.</li> <li>'Baby manage' may be used in most of above, as mat soothing music.</li> </ul>	ot :o !g
(b) Approximately 1 year	[2]
<ul> <li>(c) Inherited pattern of development</li> <li>Other aspects of development may have come first</li> <li>Lack of individual attention from adults</li> <li>Lack of encouragement</li> </ul>	[4 x 1]
(d) Any two examples – must be explained for 2 marks each Conversation, stories, rhymes and jingles.	n: <b>[2 x 2]</b>
<ul> <li>(e) Read stories to child</li> <li>Talk about stories and pictures</li> <li>Know some nursery rhymes</li> <li>Know that books are fun</li> </ul>	[4 x 1]
(f) Board book: sturdy – can withstand being in babies mouths	6
Texture book: encourage a child to be aware of the sense touch	of
Cloth book: washable and strong One example of eac	h <b>[3 x 1]</b>

Page 3	Mark Scheme Syllabu	Q.
	IGCSE – JUNE 2005 0637	12
11 (a)	<ul> <li>Enables child to find out</li> </ul>	15 x 2]
1 (a)	<ul> <li>Helps towards happiness</li> </ul>	
	<ul> <li>Helps to prevent boredom</li> </ul>	
	<ul> <li>Helps to reduce stress</li> </ul>	
	<ul> <li>Helps to divert aggressive instincts</li> </ul>	
	Each benefit must be explained for 2 marks	[5 x 2]
(b)	One mark for each type plus one mark for suitable example.	
	Any four from:	
	<ul> <li>Discovery play</li> </ul>	
	<ul> <li>Physical play</li> </ul>	
	Creative play	
	<ul> <li>Imaginative play</li> </ul>	
	Manipulative play     Seciel play	
	<ul> <li>Social play Any suitable examples</li> </ul>	[4 x 2]
(c)	1–2 years – bricks, picture books, push and pull toys, bells,	
(0)	beads etc.	
	2–3 years – toys that 'unscrew', posting box, pegboard and hammer, board colours etc.	
	3–5 years – drawing and painting sets, dressing up clothes, climbing frames, tricycles etc.	
	Two examples of each	[3 x 2]
(d)	Activity mat, squeakers, rattles etc.	[1]
		L ' .
2 (a)	<ul> <li>Sore gums</li> <li>Increased dribbling</li> </ul>	
	<ul> <li>Increased fist chewing</li> </ul>	
	<ul> <li>Red cheek</li> </ul>	[4 x 1]
		ן א דן
(b)	<ul> <li>Cuddled and comforted</li> </ul>	
	<ul> <li>Divert attention by giving different play ideas</li> <li>Going for a walk</li> </ul>	
	<ul><li>Going for a walk</li><li>Playing music</li></ul>	
	<ul> <li>Telling a story/talking</li> </ul>	
	Three ideas or two well explained	[3]
(c)	Milk teeth	[1]
(9)		L'.

age 4	Mark Scheme Sylla IGCSE – JUNE 2005 063	bu
(d)	Fluoride – toothpaste, water supply, drops or tablets	100
	Calcium – milk, cheese, white bread, yoghurt, gree vegetables etc.	hunn, Banal 37 anal
	Vitamin A – milk, butter, margarine, carrots, gree vegetables etc.	en
	Vitamin C – fruit and vegetables, breast milk etc.	
	Vitamin D – margarine, butter, oily fish, eggs etc.	
	Any 4 – 1 for substance, 1 for example of eac	ch <b>[8 x 1</b> ]
(e)	Bacteria in mouth plus sugar from food acid which cause tooth decay	es [3]
(f)	<ul> <li>Too much fat and sugar can cause obesity:</li> <li>More prone to pick up infections</li> <li>Difficult to break habit of early sweet foods</li> <li>Creates a life long problem</li> <li>Sugar causes tooth decay</li> </ul>	
	Causes malnutrition: children are not eating a balanced diet, so may develo deficiency diseases, some additives may cause side effect e.g. hyperactivity. Any 3 well explained poin	S,
	SECTION C A higher level response will include full responses from eac section.	ch [13–20]
	A medium level response will either fully respond to oc aspect and briefly the other section, or respond to eac section, but without full explanations and discussir	ch
	advantages.	[7 – 12]
	A low–level response will consist of a brief answer to one oboth sections.	or <b>[1 – 6]</b>
(a)	<ul> <li>Answers could include:</li> <li>A first baby</li> <li>A multiple birth</li> <li>A fifth or subsequent birth</li> <li>History of complications</li> <li>Previous stillbirth</li> <li>Narrow/misshapen pelvis</li> <li>Very large/very small/premature baby</li> <li>A very young mother</li> <li>A very overweight expectant mother</li> <li>Mother over 35 years old</li> <li>Known medical problems e.g. diabetes</li> <li>Previous operations on reproductive organs of caesarean section</li> </ul>	or

Page 5	Mark Scheme IGCSE – JUNE 2005	Syllab 063
(b)	<ul> <li>Home Birth :</li> <li>All family involved</li> <li>Mother more relaxed in own home</li> <li>No transportation required</li> <li>Midwife can bring 'TENS', gas and a the house</li> <li>Can sometimes hire a birth pool for h</li> <li>Freedom to move about anywhere in</li> <li>Midwife can carry out an episiotomy</li> <li>Mother can determine her own routin</li> <li>May experience less interference</li> <li>Can build up good relationship with the deliver baby at home</li> </ul>	nome i the home if required nes and meal times
	<ul> <li>Hospital Birth:</li> <li>Trained staff available</li> <li>Equipment and staff available</li> <li>Forceps, ventouse, caesarean delicarried out in hospital</li> <li>Epidural only available in hospital</li> <li>Emergency caesarean only available</li> <li>Parents reassured by 'Safe environm'</li> <li>After birth mother has constant support Midwives can give mother a break</li> <li>Can share experiences with mothers</li> <li>No worries of home life</li> </ul>	e in hospital nent' ort by midwives
4	<ul> <li>A higher level response will include full re</li> <li>Inborn temperament – requires monthan those who are placid by nature</li> <li>A child who has been made to feel of to being difficult to conceive/premabby/or has been seriously ill</li> <li>Lack of parental control and guidance</li> <li>Parents who lack parental skills</li> <li>Parents stressed by unemploym housing problems</li> <li>Crisis in the family causing unsefamily</li> <li>Parent having to look after anoth</li> <li>Wrong type of diet</li> </ul>	re careful handling extra special – due ature/delicate as a e: ent, lack of money ettlement for whole
	<ul> <li>Strategies:</li> <li>Praise and encouragement for good smiling/cuddling/friendly touches/enther joining in play with child's consent</li> <li>Cut down on constantly telling child give instructions when absolutely need</li> <li>Try to say 'No' only when really require Do not criticise</li> <li>Introduce a balanced diet</li> </ul>	husiasm/praising/ I what to do – only cessary