WWW. Dalls

#### UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

**International General Certificate of Secondary Education** 

# MARK SCHEME for the October/November 2011 question paper for the guidance of teachers

# 0420 COMPUTER STUDIES

0420/11

Paper 1, maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

			7.
	Page 2	Mark Scheme: Teachers' version	Syllabus
		IGCSE – October/November 2011	0420
			S
1	Any <b>three</b> fro	m:	3
	<ul><li>fact findir</li></ul>	ng	94
	<ul> <li>feasibility</li> </ul>	<sup>,</sup> study	Middle
	<ul><li>analysis</li></ul>	•	, e
	<ul><li>design</li></ul>		- OA
	<ul><li>testing</li></ul>		
	<ul> <li>documer</li> </ul>	ntation	

## Any three from:

- fact finding
- feasibility study
- analysis
- design
- testing
- documentation
- implementation/changeover/installation
- evaluation
- maintenance [3]

#### 2 (a) Any one from:

- file size is small
- fast to download/upload files
- format can be played on several types of devices, e.g. mobile phone, CD player, laptop

### **(b)** Any **two** from:


- type of EEPROM
- non-volatile memories
- solid state memories
- NAND based memories
- [2] mini hard disk drives

#### 3 Any three from:

- data must be up to date
- data can only be read/used for the purpose for which it was collected
- data must be accurate/relevant
- data must be deleted/destroyed when no longer needed/don't keep longer than necessary
- data must be secure
- data user must register what data is held
- data must be used /collected fairly and lawfully
- data must be protected from accidental damage
- only authorised people can have access to the data
- fines will be imposed for data mis-use
- data should not be passed on to 3rd parties without owner's permission
- person can view data and have it changed if necessary

[3]

Page 3	Mark Scheme: Teachers' version	Syllabus	.0	V
	IGCSE – October/November 2011	0420	200	



	Page 4	Mark Scheme: Teachers' version	Syllabus	3
		IGCSE – October/November 2011	0420	700
5		e from: ware that can be used to design new products/am kes use of features such as 2D, 3D, wire frames, li		CAM TAGE
	(b) Any three	ee from: ospace		OM OM

#### 5 (a) Any one from:

- software that can be used to design new products/amend existing products
- makes use of features such as 2D, 3D, wire frames, library of parts, links to CAM

# (b) Any three from:

- aerospace
- architecture
- designing cars
- designing consumer goods
- chemical/nuclear plant design
- designing electronic circuit boards
- ergonomic design
- landscape/garden design

[3]

#### (c) Any three from:

- large monitor/screen with hi-res
- touch screen
- plotter
- space mouse/space ball/4D device
- 3D glasses (in some applications)
- light pen
- graphics tablet
- 3D printer
- 3D scanner

[3]

#### 6 (a) Any two from:

- webcam
- speakers
- microphone
- broadband modem

[2]

#### (b) Any one from:

- use of CODEC (converts/compresses analogue data into digital data)
- echo cancellation s/ware (allows talking in real time/keeps everything in sync)
- compression s/ware for video/audio
- s/ware to access broadband/networking

[1]

#### (c) (i) Any one from:

- immediate response to questions/queries
- can see each other watch body language etc.
- easier to have several participants (would be difficult using instant messaging if several people involved)
- would take a long time typing out each question

#### (ii) Any one from:

- need for expensive equipment/high set up costs
- sometimes synchronisation problems make it difficult for delegates
- need to train people to use the new technology
- greater use of bandwidth

[2]

Page 5	Mark Scheme: Teachers' version	Syllabus	10
-	IGCSE – October/November 2011	0420	100-

# (d) Any one from:

- faster communications now widely available
- safety reasons, e.g. increase in terrorist attacks on international flights
- reduced transportation/accommodation/hardware costs
- environmental issues, e.g. reduced carbon footprint
- increase in multinational working

7 (i)

number	count	temp	total	neg	OUTPUT
7					
	1		0	0	
	2	<b>-</b> 5		1	
	3	0		2	
	4	5			
	5	-4		3	
	6	0		4	
	7	10			
	8	-2		5	
					0, 5

<-----1 mark ------> mark ------1 mark ----->

(ii)

number	count	temp	total	neg	OUTPUT
6					
	1		0	0	
	2	21	21		
	3	20	41		
	4	30	71		
	5	19			
	6	21	92		
	7	15			
					92, 0

<-----1 mark ------> mark ------1 mark ----->

[1]

[6]

				my	
	Pa	ge 6	Mark Scheme: Teachers' version	Syllabus	
			IGCSE – October/November 2011	0420	
8	Any - - - - - - -	gati des des des dev test crea des	her information from experts sign the knowledge base ate/enter data into the knowledge base sign/create the inference engine sign/create the rules base velop the input interface/interrogation technique to system fully with known outcomes ate structure to relate each item in the knowledge base sign method of displaying results pert system shell	Syllabus 0420 RARCAMBAR	•
9	(a)	(i)	= B2/C2	[1]	
		(ii) (iii)	= AVERAGE(D2:D7) OR = SUM(D2:D7)/6 OR = (D2 + D3 + D4 + D5 + D6 + D7)/6 = MAX(D2:D7)	[1]	-
	(b)	D7,	, D8, D9	[2]	
	(c)	= (0	C7/B7) * 100	[2]	
10	(a)	Any - - - -	y two from: available to those who don't have an Internet connection many people prefer the human contact often better talking to a human/can develop query faster response to a question once connected easier to resolve more complex problems (can take problem)		
	(b)	Any - - - -	y <b>two</b> from: no need to wait in a queue no problem with language/dialect/accent/culture differe open 24-7/can leave question on website any time customer can save/print solution for later referral multimedia services available (e.g. 'How to' videos)	ences	ľ
	(c)	Any –	y <b>two</b> from: job losses		

de-skilling
need to (re-)train
more jobs for technical staff
possible job sharing/flexi-hours/working from home


[2]

	Do	-a- 7	,	Mark Scheme: Teachers' version	Syllabus	
	Pa	ge 7		IGCSE – October/November 2011	Syllabus 0420	
				IGCSE – October/November 2011	0420	
11	(a)		- - -	y one from: unit of data/memory 8 bits used to represent a character  y one from: 2 <sup>30</sup> bytes 1 073 741 824 bytes 1 048 576 kilobytes	Syllabus 0420	
			-	1024 megabytes		[1]
	(b)	-		<b>o</b> from:		
		<u>Flas</u> - - - -	mag no f plug	nemory gnetic media/solid state memory formatting issues gs directly into the USB port ect transfer of data		
		<u>CD</u> - - - -	slov req	ical media wer access speed/flash memory has faster access suires a separate drive a needs to be burnt/finalised/finished (before being		[2]
12	(a)	Onl - -	tem	nswers: nperature (sensor) vgen (sensor)		[2]
	(b)	Any - - - - - - -	info the if te m to if ox to use sou con	ormation from the sensors sent to microprocessor ADC converts the analogue data into digital form emperature < 25°C OR temperature checked againicroprocessor sends signal to heater/actuator/valve to switch on heater exygen level < 20 ppm OR oxygen level checked at the open valve/oxygen supply to of DAC between microprocessor and devices and an alarm if system unable to responding tinuously monitors sensor inputs of reference to feedback	<b>9</b>	[4]
	(c)	Any - -	uns war	e from: safe limit stored in memory rning sound/signal if too high a value reached safe switch off in case of a malfunction		[1]

	Page 8	Mark Scheme: Teachers' version Syllabus		N.
		IGCSE – October/November 2011	0420	8-
13		ellites transmit signals to onboard computers		Camphic
		puters receive/interpret these signals em depends on very accurate timing/use of atomic	clocks	36
		h satellite transmits data indicating location and time		OH
		puter in aeroplane calculates location based on at least 24 satellites in operation at any one time	east three satellites	

# 13 (a) Any four from:


- satellites transmit signals to onboard computers
- computers receive/interpret these signals
- system depends on very accurate timing/use of atomic clocks
- each satellite transmits data indicating location and time
- computer in aeroplane calculates location based on at least three satellites
- at least 24 satellites in operation at any one time
- position accurate to within one metre
- can also calculate altitude of aeroplane
- ref to "triangulation":



# (b) Any two from:

- safer as known location is exact/more accurate
- reduces possibility of pilot error
- allows accurate estimation of arrival time
- display and guide pilot to nearest airport in case of emergency

14 (a) 1 mark for each correct logic gate:



[4]

[2]

[6]

		-		
Page 9	Mark Scheme: Teachers' version	Syllabus	.0	
	IGCSE – October/November 2011	0420	200	

(b)

Р	R	Т	x	
0	0	0	1	1
0	0	1	1	J
0	1	0	1	1
0	1	1	0	J
1	0	0	0	1
1	0	1	0	J
1	1	0	1	1
1	1	1	0	]

[4]

mk

mk

mk

15 (a) 1 mark for the correct working in BOTH parts

1 mark for valid

1 mark for not valid

(i) working

$$\overline{= (4 \times 6)} + (2 \times 5) + (1 \times 4) + (9 \times 3) + (2 \times 2) + (3 \times 1)$$

$$= 24 + 10 + 4 + 27 + 4 + 3$$

$$= 72 \div 11$$

= 6 remainder 6

valid/not valid: NOT valid

(ii) working

$$= (8 \times 6) + (2 \times 5) + (0 \times 4) + (1 \times 3) + (5 \times 2) + (6 \times 1)$$

$$= 48 + 10 + 0 + 3 + 10 + 6$$

$$= 77 \div 11$$

= 7 remainder 0

valid/not valid: VALID

[3]

(b) 1 mark for correct working + 1 mark for check digit

working

$$= (5 \times 6) + (0 \times 5) + (2 \times 4) + (4 \times 3) + (1 \times 2)$$

$$= 30 + 0 + 8 + 12 + 2$$

= 52

need to add 3 to make the total 55 (i.e. exactly divisible by 11)

check digit: 3 [2]

(c) 2 digits transposed

(e.g. 280419 becomes 280149/ two digits have been switched)

incorrect digit

(e.g. 280419 becomes 250419/ one of the digits has been mistyped)

[2]

Page 10	Mark Scheme: Teachers' version	Syllabus	1 S. L.
	IGCSE – October/November 2011	0420	100-

# 16 (a) Any two from:

lock the room/computer

- use/prevent use of removable storage media
- passwords and/or ids (to get into the system)
- log off when computer not attended

encrypt data

[2

### (b) 1 mark for each risk + 1 mark for associated protection method.

risk: virus

protection: use ant-virus software

risk: hacking

protection: passwords/ids

firewalls

risk: use of wifi systems protection: passwords/ids

firewalls

risk: phishing:

protection: don't open websites from "unknown" emails

anti-phishing software


risk: pharming:

protection: check certification of website under properties

check spelling of websites use a well respected ISP

[4]

(c) (i)



[1]

#### (ii) Any one from:

- if one station/cable fails, others are not affected
- <u>easier</u> to identify faults when using star topologies
- it is <u>easier</u> to expand this type of network
- performance doesn't deteriorate under load

[1]

Page 11	Mark Scheme: Teachers' version	Syllabus	· 03
	IGCSE – October/November 2011	0420	100-

## (d) Any two from:

- processor should consume as little power as possible (thus prolonging the batter)
- processor should run as cool as possible (minimising problems associated with dissipation)
- no fans needed to cool processor (thus reducing the load on the internal battery)

#### 2

[3]

# 17 (a) marking points:

the way to find and print the largest value a 1 mark the way to find and print the largest value b 1 mark the way to find and print the largest value c 1 mark

## sample algorithm:

input a, b, c

if a > b and a > c then print a (1 mark)
else if b > c then print b (1 mark)
else print c (1 mark)

### (b) marking points:

loop construct1 markcheck if number is an integer1 markcounting the number of integers input1 markoutput count value (outside the loop)1 mark

## sample algorithm:

for x = 1 to 1000 (1 mark)
input number
difference = INT(number) – number (1 mark)
if difference = 0 then total = total + 1 (1 mark)
next x
print total (1 mark)

(NOTE: alternative to lines 3 and 4:

if INT(number) = number then total = total + 1 (2 marks)) [4]