**Cambridge International Advanced Level** 

### MARK SCHEME for the October/November 2015 series

## 9608 COMPUTER SCIENCE

9608/42

Paper 4 (Written Paper), maximum raw mark 75

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Ρ	age 2							Μ	ar	k S	Sch	en	ne											S	yll	ab	us		Ра	pe	r
		Cambrid	ge	Int	err	nat	ior	nal	Α	Le	ve	I –	0	cto	be	er/N	10	ver	nbe	er	<b>20</b> '	15			96	608	;		2	42	
1	(a) (i)	Activity																													
		A																													
		В																													
		С																													
		D																													
		E																													
		F																													
		G																													
		Н																													
		J																													
		K																													
		L																													
		M																													
		N																													
		Week												_	_				_			_			_						_
		Number	~	2	č	4	ß	ဖ	$\sim$	ω	ი	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
		1 mark for	rea	ach	ı so	qua	are																								[2]

(ii) week number 18

Allow follow through

[1]

# Mark SchemeSyllabusPaperCambridge International A Level – October/November 2015960842

#### (b) (i)

Activity	Description	Weeks to complete
A	Write requirement specification	1
В	Produce program design	1
С	Write module code	7
D	Module testing	2
E	Integration testing	2
F	Alpha testing	2
G	Install software and carry out acceptance testing	2
Н	Research and order hardware	1
J	Install delivered hardware	3
K	Write technical documentation	4
L	Write user training guide	2
М	Train users on installed hardware and software	1
N	Sign off final system	1

#### Activity

Activity																													
A																													
В																													
С																													
D																													
E																													
F																													
G																													
н																													
J																													
K																													
L																													
М																													
N																													
Week Number	١	2	3	4	5	9	7	8	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29

1 mark per activity (but 1 mark for activity M and N) Notes: C must be after E (1 or 2 later is ok) D, E, F correct relative to C J must start in week 20 (allow 21, 22)

G must come after the end of J (f.t.)

K finishes after or at same time as F

L finishes at the same time as G and after the end of J (or 1-2 weeks later) M starts when everything else has finished. N after or at same time as M

(ii) week number: 26


Allow f.t.

[1]

[9]

age 4		yllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42
F A	parent (ali, ahmed). parent (meena, ahmed). Accept statements in either order Wrong capitalisation minus 1 mark		[2
	e = ahmed aisha		
	gnore capitalisation Deduct 1 mark for every extra result		[2
<b>(c)</b> m	nother(M, gina).		
F	Accept parent (M, gina) AND female (M). Accept a comma instead Reject mother (M, gina) IF female (M) AND parent (M, gina). gnore capitalisation		[
<b>(d)</b> f	father(F, C)		
	$\underbrace{\begin{array}{c} \text{IF} \\ \text{male(F) AND} \\ (1) \end{array}}_{(1)} \underbrace{\text{parent(F, C)}}_{(1)}.$		[2
<b>(e)</b> k	prother(X, Y)		
ı n F	IF nale(X)AND parent( <u>A</u> , X) AND parent( <u>A</u> , Y)		[ [ [
F F			

Accept any variable for A, but it must be the same in both places Accept father/mother instead of parent Ignore capitalisation



Mark as follows:

#### Base class:

- dateOfBirth declaration and associated method in Student
- constructor

#### Subclasses:

- telephoneNumber declaration and associated method in FullTimeStudent
- NumberOFCourses declaration and associated method in PartTimeStudent
- fee declaration and associated method in PartTimeStudent
- feepaid declaration and associated method in PartTimeStudent
- constructor method in PartTimeStudent
- inheritance arrows

Ignore data types, ignore other methods/attributes Ignore brackets after methods

[Max 7]

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

#### (b) (i) Mark as follows (parts to be ignored in grey):

If no programming language stated, map to 1 of the 3 below (or check in Q1ai) Class header & ending (watch out these may be squashed into the next clip) Ignore methods 2 attributes with correct data types **No mark if subclass properties shown here** Attributes required: StudentName DateOfBirth (accept variations e.g. DoB)

#### Pascal

```
TYPE Student = CLASS
PUBLIC
Procedure ShowStudentName();
Procedure ShowDateOfBirth();
PRIVATE
StudentName : STRING;
DateOfBirth : TDateTime; // accept string reject Date
END;
```

#### Python

```
class Student :
    def __int _(self) :
        self. __StudentName = ""
        self. __DateOfBirth = ""  # date(1,1,2015)
    def ShowStudentName() :
        pass
    def ShowDateOfBirth() :
        pass
```

#### Ignore \_\_\_\_ before attributes

#### **VB.NET**

```
Class Student

Public Sub ShowStudentName()

End Sub

Public Sub ShowDateOfBirth()

End Sub

Private StudentName As String

Private DateOfBirth As Date ' accept string

End Class
```

(Ignore: must inherit) Ignore Private/protected/public Don't give a mark if using DIM

[2]

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42

#### (ii) Mark as follows:

- Class header and showing superclass
- Properties (Do not award this mark if properties from base class included here) Data types must be correct
- Methods (Do not award this mark if methods from base class included here) must show heading and ending of procedure/function declaration Ignore PUBLIC, PRIVATE

#### Pascal

```
TYPE FullTimeStudent = CLASS (Student)
PUBLIC
    Procedure ShowAddress();
    Procedure ShowTelephoneNumber();
PRIVATE
    Address : STRING;
    TelephoneNumber : STRING; // reject integer
END;
```

#### Python

```
class FullTimeStudent(Student) :
    def __init__(self) :
        self.__Address = ""
        self.__TelephoneNumber = ""
        def ShowAddress() :
            pass
        def ShowTelephoneNumber() :
            pass
```

#### **VB.NET**

```
Class FullTimeStudent : Inherits Student

Public Sub ShowAddress()

End Sub

Public Sub ShowTelephoneNumber()

End Sub

Private Address As String

Private TelephoneNumber As String ' reject integer

End Class
```

No mark if using DIM

[3]

age 8	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42
(iii)	1 mark per statement to max 3 Missing string delimiters: penalise once Accept use of constructor		
	<pre>Pascal NewStudent := FullTimeStudent.Create; NewStudent.StudentName := 'A.Nyone'; NewStudent.DateOfBirth := EncodeDate(1990, 11,12) '11/12/1990' NewStudent.TelephoneNumber := '099111';</pre>	;//:=	
	<pre>Alternative NewStudent := FullTimeStudent.Create(`A.Nyone', ` `099111');</pre>	12/11/199	90 <b>′</b> ,
	<pre>Python NewStudent = FullTimeStudent() NewStudent.StudentName = "A.Nyone" NewStudent.DateOfBirth = "12/11/1990" NewStudent.TelephoneNumber = "099111"</pre>		
	Alternative NewStudent = FullTimeStudent('A.Nyone', '12/11/19	90′, `099	9111′)
	VB.NET Dim NewStudent As FullTimeStudent = New FullTimeS NewStudent.StudentName = "A.Nyone" NewStudent.DateOfBirth = #11/12/1990# NewStudent.TelephoneNumber = "099111"	tudent()	
	Alternative Dim NewStudent As FullTimeStudent = New FullTimeStudent("A.Nyone", "12/11/1990", "099111"	)	

[Max 3]

Page 9	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42
4 (a)	FUNCTION Hash( <mark>Key</mark> : STRING) RETURNS INTEGER DECLARE Number : INTEGER Number ← ASCII(LEFTSTRING(Key,1)) // Number ← ASCII(Key[1]) Number ← Number - 64 RETURN Number // Result ← Number // Hash ← Number ENDFUNCTION		
	Accept ASC instead of ASCII Accept LEFT instead of LEFTSTRING		

[5]

#### (b) (i)

Dictionary Index Value Key 1 2 Rechner 3 Computer 4 Disk Platte 5 Error Fehler 6 File Datei 7 8 i : : 1999 2000

Ignore spelling mistakes

Key can be a different identifier but must be the same in both places

1 mark for 2 correct pairs entered in correct slots [2] (ii) Collision / synonym / space already occupied / same index in array Overwrites previous key-value pair reject error [Max 2] (iii) Create an overflow area The 'home' record has a pointer to others with the same key // linked list OR Store the overflow record at the next available address ... in sequence (= next available) OR Re-design the hash function .... // write a different/another algorithm to generate a wider range of indexes // enlarging storage space // to create fewer collisions [2]

Page 10	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2015	9608	42
(iv)	Mark as follows:		
	Check whether slot is empty: IF Dictionary[Index,1] <>"" // != `' // > NONE If not: update index: THEN Index ← <some value=""> to find an <u>empty</u> slot (loop / follow pointer / go to overflow area) Insert code between lines 20 and 30</some>		
	<pre>21 WHILE Dictionary[Index,1] &gt; "" 22 Index</pre>		

- 24 THEN Index 🗲 1
- 25 26 ENDIF
- 27 ENDWHILE

[4]



.,		Memory A		_	
	Accumulator	509	510	511	512
ſ	0	7	3	0	0
J	7				7
Ì	0				
l	1			1	
ſ	7				
	14				14
Ĵ	1				
l	2			2	
ſ	14				
	21				21
Ì	2				
l	3			3	
	3 marks			1 mark	1 mark

If values changed in column 509 or 510 don't give marks for 511/512

(ii) stores the counter value for ....// acts as a control variable/counter How many times the loop has been performed // control the loop

Ignore re-stating the steps

(b)	LDM	#12	(must be instruction before storage)
	STO	509	(must be final instruction)

1 mark for each instruction

[2]

[5]

[2]

Pa	age 1		Syllabus	Paper
		Cambridge International A Level – October/November 2015	9608	42
6	(a)	1 mark for structure header/ending 1 mark for each field correct, take away 1 mark for additional fields Python answers will use a class		
		<pre>Pascal TYPE StockItem = RECORD     ProductCode : String; // accept integer     Price : Currency; // accept real     NumberInStock : Integer; END;</pre>		
		<pre>Python class StockItem :     definit(self) :         self.ProductCode = ""  # = 0         self.Price = 0.0  # = 0         self.NumberInStock = 0</pre>		
		<pre>VB.NET STRUCTURE StockItem Dim ProductCode As String Dim Price As Decimal Dim NumberInStock As Integer END STRUCTURE</pre>		
		<pre>VB6 Type StockItem     ProductCode As String     Price As Currency     NumberInStock As Integer END Type</pre> ' accept integer ' accept integer		[4]

Page 1	2	Mark Scheme	Syllabus	Paper
		Cambridge International A Level – October/November 2015	9608	42
(b)	(i)	01 TRY 02 OPENFILE "StockFile" FOR READ/RANDOM // i 03 EXCEPT 04 OUTPUT "File does not exist" 05 ENDTRY	gnore "	[2]
	(ii) (Line 01) alerts system to check for possible <u>run-time</u> errors (exception) (Lines 03, 04) handle the exception without the program crashing // keeps program running// provide alternative statements to execute to avoid <u>run-time</u> error			
		Accept "exception handling" for 1 mark		[Max 2]
(c)	<pre>(c) WHILE NOT EOF("StockFile")     READFILE "StockFile", ThisStockItem // accept reading separate fields     OUTPUT ThisStockItem.ProductCode     OUTPUT ThisStockItem.NumberInStock ENDWHILE  1 mark for loop (accept REPEAT) 1 mark for EOF("StockFile") // StockFile.Peek &lt;&gt; -1 / NONE/" 1 mark for READ record 1 mark for OUTPUT of 2 fields</pre>			
	Ign	ore opening and closing file		[4]