
COMPUTER SCIENCE

9608/22

Paper 2 Written Paper

May/June 2016

MARK SCHEME

Maximum Mark: 75

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2016 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

Question	Answer					Marks
1 (a) (i)	Item	Statement	Selection	Iteration	Assignment	6
	1	MyScore = 65			✓	
	2	FOR IndexVal = 0 TO 99		✓		
	3	MyArray[3] = ID(MyString,3,2)			✓	
	4	IF MyScore >= 70 THEN	✓			
	5	ENDWHILE		✓		
	6	ELSE Message = "Error"	✓		✓	
One mark per row Additional ticks in any row cancels that row						
(ii)	Item	Purpose of statement				6
	1	Assign <u>65</u> to <u>MyScore</u>				
	2	(Start of) loop with loop counter starting from zero & going to 99 / repeating 100 times				
	3	Assign 2 chars from position 3/4 in MyString to MyArray element 3/4				
	4	Test if MyScore is <u>greater than or equal to</u> 70				
	5	Marks the end of WHILE / precondition loop //Return to top of loop to check condition				
6	If a condition is FALSE, variable Message is assigned the value "ERROR"					
Exact wording not important Explanation must refer to variables or values used in code (except for row 5)						
(iii)	Expression		Result			2
	"D" & RIGHT(MyString, 4)		"Dance"			
	LEFT(RIGHT(MyString, 7), 3)		"ten"			
Must have correct case Quotation marks optional						


Question	Answer			Marks
2 (a)	Identifier	Data Type	Description	4
	AlarmState	BOOLEAN	Alarm is set to ON or OFF	
	SensorValue	INTEGER	Value / number from sensor / as input by user // used in calculation of Temperature	
	ThresholdValue	REAL / FLOAT / SINGLE / DOUBLE	Threshold value for comparison	
	Temperature	REAL / FLOAT / SINGLE / DOUBLE	Temperature value calculated from sensor value	
<p>One mark per row Data types as shown Descriptions given above are examples only</p>				

Question	Answer	Marks
(b)	<pre> AlarmState ← FALSE (1) INPUT ThresholdValue INPUT SensorValue } (2) Temperature ← SensorValue * 1.135 (3) (4) { IF Temperature > ThresholdValue THEN AlarmState ← TRUE OUTPUT "Temperature Alarm" } (5) ELSE OUTPUT "Temperature OK" (6) AlarmState ← FALSE (7) ENDIF </pre> <p>Mark points as circled, descriptions as below:</p> <ol style="list-style-type: none"> Setting AlarmState to FALSE (Cond. check not essential but must be correct if present) Inputting SensorVal and ThresholdVal Correct value assigned to Temperature (must be * not x) IF..THEN..ELSE..ENDIF structure with correct condition (or two separate IF clauses) Correct THEN statements as shown Correct ELSE statement as shown Setting AlarmState to FALSE within ELSE clause only if mark point 1 not given 	Max 6

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9608	22

Question	Answer	Marks
3 (a)	<pre> FUNCTION EncryptString (<u>Lookup : ARRAY, PlainText : STRING</u>) RETURNS STRING DECLARE <u>OldChar, NewChar</u> : CHAR DECLARE OldCharValue : <u>INTEGER</u> DECLARE OutString: STRING //first initialise the return string <u>OutString</u> ← "" //initialise the return string //loop through PlainText to produce OutString FOR n ← 1 to <u>LENGTH(PlainText)</u> //from first to last character OldChar ← <u>MID(PlainText, n, 1)</u> //get next character OldCharValue ← <u>ASC(OldChar)</u> //find the ASCII value NewChar ← <u>Lookup[OldCharValue]</u> //look up substitute character <u>OutString</u> ← <u>Outstring & NewChar</u> // concatenate to OutString ENDFOR <u>RETURN OutString</u> // <u>EncryptString</u> ← <u>OutString</u> ENDFUNCTION </pre> <p>One mark for each part-statement (shown underlined and bold)</p>	10
(b) (i)	<p>VB: <u>Dim Lookup(0 to 127 / 128) As CHAR</u></p> <p>Pascal: <u>Var Lookup: Array[0..127 / 1..128] Of CHAR</u></p> <p>Python: Lookup = ["" for i in range(128)]</p> <p>OR</p> <pre> Lookup = [] For i in range(128) : Lookup.append("") </pre> <p>Mark as follows: VB / Pascal: one mark per part-statement as underlined and bold Python: One mark for Lookup and [] One mark for range(128)</p>	2

Question	Answer	Marks
(ii)	<p>'Pseudocode' solution included here for development and clarification of mark scheme. Programming language solutions appear in the Appendix.</p> <pre> INPUT StartPos INPUT NumToChange } ① ② { FOR n ← 0 to NumToChange - 1 OUTPUT " Input new value for position " ③ INPUT NewChar ④ Lookup[StartPos + n] ← NewChar ⑤ ENDFOR OUTPUT (NumToChange & " entries changed") ⑥ </pre> <p>ALTERNATIVE:</p> <pre> INPUT StartPos INPUT NumToChange } ① n ← 0 ② { REPEAT OUTPUT " Input new value for position " ③ INPUT NewChar ④ Lookup[StartPos + n] ← NewChar ⑤ n ← n + 1 UNTIL n = NumToChange OUTPUT (NumToChange & " entries changed") ⑥ </pre> <p>Mark points as circled, descriptions as below:</p> <ol style="list-style-type: none"> Two INPUT statements Working loop (using values of n from flowchart) OUTPUT prompt (exact text not specified) INPUT NewChar Assignment of NewChar to correct array element OUTPUT final message after loop (exact text not specified but must include NumToChange or loop counter if value correct at that point) 	6
4 (a)	<ul style="list-style-type: none"> Program code is <u>easier</u> to implement / manage Modules may be given to different people to develop // given to program specialists Program code is <u>easier</u> to test / debug / maintain Encourages the re-usability of program code 	Max 2

Question	Answer	Marks
(b) (i)	 <p data-bbox="263 1086 1197 1187">One mark per correct annotation as shown Arrows may be drawn clockwise or anticlockwise Diamond symbol may be filled or unfilled but must be in position shown</p>	3
(ii)	<p data-bbox="263 1220 1228 1321">A (or B) – Card details / Card number / Card info B (or A) – Cost details / amount payable / product cost / total bill C – (Flag) indicator for successful payment // payment confirmation</p> <p data-bbox="263 1355 829 1388">Data items for A and B are interchangeable</p>	3
5 (a) (i)	<ul data-bbox="263 1422 1276 1568" style="list-style-type: none"> • So that the data / information is saved after the program is run / when the computer is switched off • So the data / information can be accessed next time the program is run • So the data information can be "permanently stored" 	Max 1

Page 8	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9608	22

Question	Answer	Marks
(ii)	<p>Problem:</p> <ul style="list-style-type: none"> When retrieving / searching for / editing (text relating to a particular CD) Can't tell where the artist name stops and the title begins (or any similar explanation or example) <p>Solution 1:</p> <ul style="list-style-type: none"> Use of a separator character// or by example Where the separator character does not occur in the original strings <p>Solution 2:</p> <ul style="list-style-type: none"> Use a fixed number of characters for each data item Data items are padded with e.g. <Space> character where needed <p>Solution 3:</p> <ul style="list-style-type: none"> Convert original data items to CamelCase ...and add a Space separator <p>Mark as follows: Two marks for description of problem Two marks for description of solution</p>	4

Page 9	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9608	22

Question	Answer	Marks
(b)	<p>'Pseudocode' solution included here for development and clarification of mark scheme. Programming language solutions appear in the Appendix.</p> <pre> PROCEDURE InputData() DECLARE CDTitle : STRING DECLARE CDArtist : STRING DECLARE CDLocation : STRING DECLARE FileData : STRING OPENFILE "MyMusic" FOR WRITE OUTPUT "Input CD Title" INPUT CDTitle WHILE CDTitle <> "##" OUPUT "Input CD Artist" INPUT CDArtist OUPUT "Input CD Location" INPUT CDLocation FileData = CDTitle & ':' & CDArtist & ':' & CDLocation WRITEFILE "MyMusic.txt", FileData OUTPUT "Input CD Title" INPUT CDTitle ENDWHILE CLOSEFILE("MyMusic.txt ") ENDPROCEDURE </pre> <p>One mark for each of the following:</p> <ul style="list-style-type: none"> • Procedure heading and ending • Declaration of CDTitle, CDArtist and CDLocation • Open file for writing (Allow MyMusic or MyMusic.txt) • Working conditional loop structure including test for rogue value (including initial input of CDTitle) • Input of three data values (CDTitle, CDArtist and CDLocation) inside a loop • String concatenation of three variables inside a loop • Write three variables in single line to file inside a loop • Close file • Use of string separator <p>Solutions may repeatedly OPEN – WRITE – CLOSE within the loop. In this case the first OPEN could be in WRITE or APPEND mode with all others in APPEND.</p>	Max 8

Question	Answer	Marks																																																												
6 (a)	<table border="1"> <thead> <tr> <th>n</th> <th>f</th> <th>x</th> <th>y</th> <th>MID(String1, x, 1)</th> <th>MID(String2, y, 1)</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>1</td> <td></td> <td>1</td> <td>1</td> <td>'R'</td> <td>'R'</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>2</td> <td>'E'</td> <td>'A'</td> </tr> <tr> <td>2</td> <td></td> <td>2</td> <td>1</td> <td>'E'</td> <td>'R'</td> </tr> <tr> <td>3</td> <td></td> <td>3</td> <td>1</td> <td>'T'</td> <td>'R'</td> </tr> <tr> <td>4</td> <td></td> <td>4</td> <td>1</td> <td>'R'</td> <td>'R'</td> </tr> <tr> <td></td> <td></td> <td>5</td> <td>2</td> <td>'A'</td> <td>'A'</td> </tr> <tr> <td></td> <td></td> <td>6</td> <td>3</td> <td>'C'</td> <td>'C'</td> </tr> <tr> <td></td> <td>4</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>One mark per correct column</p> <ul style="list-style-type: none"> • Minus one mark if anything else on first row • Column 2 – '4' must not precede '4' in column 1 (as shown by arrow) • Letters must all be in upper case • Ignore quotation symbol 	n	f	x	y	MID(String1, x, 1)	MID(String2, y, 1)	0	0					1		1	1	'R'	'R'			2	2	'E'	'A'	2		2	1	'E'	'R'	3		3	1	'T'	'R'	4		4	1	'R'	'R'			5	2	'A'	'A'			6	3	'C'	'C'		4					6
n	f	x	y	MID(String1, x, 1)	MID(String2, y, 1)																																																									
0	0																																																													
1		1	1	'R'	'R'																																																									
		2	2	'E'	'A'																																																									
2		2	1	'E'	'R'																																																									
3		3	1	'T'	'R'																																																									
4		4	1	'R'	'R'																																																									
		5	2	'A'	'A'																																																									
		6	3	'C'	'C'																																																									
	4																																																													
(b) (i)	<ul style="list-style-type: none"> • to search for a string within another string / String2 within String1 • to return the position of the start of String2 within String1 // by example <p>First mark point: allow locate / find / calculate position of</p>	2																																																												
(ii)	<p>Value: 0 / zero</p> <p>Meaning: String2 not found in String1</p>	2																																																												
(iii)	<p>Option 1</p> <ul style="list-style-type: none"> • It is possible to “fall off” the end of String1 (or by example) while string match (for example, String1 = "Retrace", String2 = "Raced") • MID (String1, x, 1) // description of 'subscript out of range' <p>Option 2</p> <ul style="list-style-type: none"> • If either string is empty then • subscript out of range error // description <p>Option 3</p> <ul style="list-style-type: none"> • If String1 found within String 2 • An endless loop will occur 	2																																																												

Page 11	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9608	22

Appendix - Program Code Solutions

3 (b)(ii): VB.NET

```

Console.WriteLine("Enter start position: ")
StartPos = Console.ReadLine()
Console.WriteLine("Enter number to change: ")
NumToChange = Console.ReadLine()
For n = 0 To NumToChange - 1
    Console.WriteLine("Enter new value for position: ")
    NewChar = Console.ReadLine()
    Lookup(StartPos + n) = NewChar
Next
Console.WriteLine(NumToChange & " entries changed")

```

ALTERNATIVE:

```

Console.WriteLine("Enter start position: ")
StartPos = Console.ReadLine()
Console.WriteLine("Enter number to change: ")
NumToChange = Console.ReadLine()
n = 0
Do
    Console.WriteLine("Enter new value for position: ")
    NewChar = Console.ReadLine()
    Lookup(StartPos + n) = NewChar
    n = n + 1
Loop Until n = NumToChange
Console.WriteLine(NumToChange & " entries changed")

```

3 (b)(ii): Pascal

```

write('Enter start position: ');
readln(StartPos);
write('Enter number to change: ');
readln(NumToChange);
for n := 0 to NumToChange - 1 do
begin
    write('Input new value for position: ');
    readln(NewChar);
    LookUp[Startpos + n] := NewChar;
end;
writeln(IntToStr(NumToChange) + ' entries changed');

```

Page 12	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9608	22

ALTERNATIVE:

```

write('Enter start position: ');
readln(StartPos);
write('Enter number to change: ');
readln(NumToChange);
n := 0;
repeat
    write('Input new value for position: ');
    readln(NewChar);
    LookUp[Startpos + n] := NewChar;
    n := n + 1;
until (n = NumToChange);
writeln(IntToStr(NumToChange) + ' entries changed');

```

3 (b)(ii): Python

```

StartPos = int(input("Enter start position: "))
NumToChange = int(input("Enter number to change: "))
for n in range(NumToChange) :
    NewChar = input("Input new value for position: ")
    LookUp[StartPos + n - 1] = NewChar
print(str(NumToChange) + " entries changed")

```

ALTERNATIVE:

```

StartPos = int(input("Enter start position: "))
NumToChange = int(input("Enter number to change: "))
n = 0
while n < NumToChange :
    NewChar = input("Input new value for position: ")
    LookUp[StartPos + n] = NewChar
    n = n + 1
print(str(NumToChange) + " entries changed")

```

Page 13	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9608	22

5 (b): VB.NET

A StreamWriter() solution:

```

Sub InputData()
    Dim CDTitle, CDArtist, CDLocation As String
    Dim FileHandle As IO.StreamWriter
    FileHandle = New IO.StreamWriter("MyMusic.txt") ("MyMusic.txt")
    Console.WriteLine("Input CD Title: ")
    CDTitle = Console.ReadLine()
    Do Until CDTitle = "###"
        Console.WriteLine("Input CD Artist: ")
        CDArtist = Console.ReadLine()
        Console.WriteLine("Input CD Location: ")
        CDLocation = Console.ReadLine()
        FileHandle.WriteLine(CDTitle & ":" & CDArtist & ":" & CDLocation)
        Console.WriteLine("Input CD Title: ")
        CDTitle = Console.ReadLine()
    Loop
    FileHandle.Close()
End Sub

```

A legacy FileOpen() solution:

```

Sub InputData()
    Dim CDTitle, CDArtist, CDLocation As String
    FileOpen(1, "MyMusic", OpenMode.Output)
    Console.WriteLine("Input CD Title: ")
    CDTitle = Console.ReadLine()
    Do Until CDTitle = "###"
        Console.WriteLine("Input CD Artist: ")
        CDArtist = Console.ReadLine()
        Console.WriteLine("Input CD Location: ")
        CDLocation = Console.ReadLine()
        Print(1, CDTitle & ":" & CDArtist & ":" & CDLocation)
        Console.WriteLine("Input CD Title: ")
        CDTitle = Console.ReadLine()
    Loop
    FileClose(1)
End Sub

```

Page 14	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9608	22

5 (b): Pascal

```

procedure InputData;
var
    CDTitle, CDArtist, CDLocation : string;
    CDFile : Textfile;
begin
    assign(CDFile, 'MyMusic');
    rewrite(CDFile);
    writeln('Input CD Title: ');
    readln(CDTitle);
    while (CDTitle <> '##') do
    begin
        writeln('Input CD Artist: ');
        readln(CDArtist);
        writeln('Input CD Location: ');
        readln(CDLocation);
        writeln(CDFile, CDTitle + ':' + CDArtist + ':' + CDLocation);
        writeln('Input CD Title: ');
        readln(CDTitle);
    end;
    close(CDFile);
end;

```

5 (b): Python

```

def InputData() :
    #CDTitle String (or CDTitle = "")
    #CDArtist String (or CDArtist = "")
    #CDLocation String (or CDLocation = "")

    FileHandle = open("MyMusic", "w")
    CDTitle = input("Input CD Title: ")
    while CDTitle != "##" :
        CDArtist = input("Input CD Artist: ")
        CDLocation = input("Input CD location: ")
        FileHandle.write(CDTitle + ":" + CDArtist + ":" + CDLocation)
        CDTitle = input("Input CD Title: ")
    FileHandle.close()

```