**CAMBRIDGE INTERNATIONAL EXAMINATIONS** GCE Advanced Subsidiary Level and GCE Advanced Level

# www.papacambridge.com MARK SCHEME for the October/November 2012 series

# 9698 PSYCHOLOGY

9698/13


Paper 1 (Core Studies 1), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE. GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



# Section A (60 marks)

# Answer all questions in this section.

### 1 Describe two characteristics of the participants from the study by Loftus and Pickrel (false memories).

- males and females (3 M, 21 F) •
- adults (aged 18-53 years) •
- parent/child or sibling pairs (recruited by students [of University of Washington]) •
- youngest member of pair at least 18 years old
- within pair, 'relative' had to have knowledge of childhood experiences of 'subject' e.g. that they had not been lost in a mall around age 5.

1 mark partial, 2 marks full × 2.

### 2 From the study by Baron-Cohen et al (eyes test):

### (a) What is meant by 'theory of mind'?

ToM "is shorthand for the ability to attribute mental states to oneself or another person".

1 mark partial, 2 marks full.

'Mind reading/mentalising/social intelligence' alone is not explanation of what is meant (0 marks).

Knowing what some else is thinking (1 mark).

### (b) The control group were much better on the eyes test than the experimental group (of high functioning autistics and people with Asperger syndrome). What does this tell us about theory of mind? [2]

Most likely:

That ToM normally helps to map mental states to facial expressions.

Also:

That first stage of ToM (attribution) requires identifying mental state from faces without a need to infer content.

1 mark partial, 2 marks full.

[2]

Page 3	Mark Scheme	Syllabu <sup>44</sup> er
	GCE AS/A LEVEL – October/November 2012	9698
features of a	nd Hein (kitten carousel) study was a laboratory I laboratory experiment.	experiment. Des Annu 1998
most likely:		.C.
<ul> <li>has IV (n</li> </ul>	nanipulated by experimenter)	02
<ul> <li>has DV (</li> </ul>	measured by experimenter)	1
<ul> <li>uses a d</li> </ul>	esign to allocate participants to conditions (e.g. RM/IG/	MP)

### The Held and Hein (kitten carousel) study was a laboratory experiment. Des 3 features of a laboratory experiment.

- has IV (manipulated by experimenter) •
- has DV (measured by experimenter)
- uses a design to allocate participants to conditions (e.g. RM/IG/MP) •
- controls (to keep levels of the IV the same in all other aspects) •
- aims to find causal effect. •

1 mark partial (identified feature – in italics), 2 marks full (description of feature) × 2.

### The study by Piliavin et al (subway Samaritans) was a field experiment. 4

# (a) Describe one independent variable that was manipulated.

[2]

- (condition of victim): drunk or ill (cane)
- (race): black (victim) or white (victim)
- early/late model.

1 mark partial, 2 marks full.

# (b) Give one advantage of a field experiment as used in this study.

- [2]
- high ecological validity (as helping behaviour is a real world phenomenon not just one that happens in a lab)
- because it complements the high controls in lab experiments (such as Darley and Latane, 1968).

1 mark partial, 2 marks full (1 mark for advantage, however elaborated, 1 mark for applying to study, however briefly).

### 5 In experiment 2 of Tajfel's study on intergroup categorisation, participants used a matrix (like the one below) to award points. There were three options open to participants: maximum in-group profit, maximum joint profit and maximum difference.

24	22	20	18	16	14	12	10	8	6	4	2
9	10	11	12	13	14	15	16	17	18	19	20

(a) Using the matrix above, identify the pair of numbers that indicates maximum joint profit. [2]

24 and 9 (accept 'first column')

2 marks for correct answer.

Page 4	Mark Scheme	Syllabu er
	GCE AS/A LEVEL – October/November 2012	9698
(b) Using t	ne matrix above, identify the pair of numbers	that indicates . With the indicates
differen	<u>ce</u> .	Tig

6 In their study of aggression, Bandura et al found several differences in behaviour between groups of participants.

(a) Outline <u>one</u> difference in behaviour between male and female participants.

Most likely:

- males were more aggressive in general than females
- females more likely to imitate verbal aggression than males
- males more likely to imitate physical aggression than females.

	2.	-				
Response category	Age	endêve	Non	Nonaggres-		
	) Mode	Mode	Mode	Model	in the second	
Imitative physical agree-		1				
sion Female subjects	1	12.	135	1	10.5	
Male subjects	5,5	7.2	2.5	0.0	1.2	
Initative verbal aggression	12.9	25.8	0.2	1.5	1.0	
Female subjects	15.7	2.0	0.1	1.4	100	
Male subjects	4.3	12.7	LL	0.0	0.7	
Mallet aggression	4-4	14.1	1.18	0.0	1.7	
Female subjects	17.2	18.7	0.5	0.5		
Male subjects	15.5	28.4	18.1	6.7	11.1	
Punches Bobo doll			20.7	0.1	1313	
Female subjects	6.3	18.3	5.8	4.3	IL.7	
Male subjects	18.0	11.9	15.6	14.4	14.7	
Nonimitative aggression	2020	26.24	1222		Adapt.	
Female subjects	21.3	8.4	7.2	1.4	6.1	
Male subjects	16.2	\$6.7	26.1	22.5	24.6	
Aggressive gun play	3.3		1993	100		
Famale subjects	1.8	4.5	2.6	2.3	1.7	
Male subjects	T. 1	15.9	1.0	10.7	14.3	

1 mark partial (statement of direction of difference), 2 marks full (numbers).

# (b) Suggest <u>one</u> reason for this difference.

- prior social learning (from verbally/physically aggressive same-gender models)
- biological predisposition (males innately more physically aggressive).

1 mark partial, 2 marks full.

# [2]

[2]

Page 5	Mark Scheme	Syllabu	· A er
	GCE AS/A LEVEL – October/November 2012	9698	102

### Freud says in his study of little Hans that his approach does not have any scient 7 Outline two criticisms that can be made about the scientific value of Freud's work.

# Most likely:

- Cambridge.com Hans was not a normal child (so differed from other children/so generalisation may be invalid)
- the analysis was based on information from Hans's father who was aware of Freud's theoretical views (so could not have been objective).

1 mark partial, 2 marks full × 2 (1 mark for identifying problem, 1 mark for applying to study).

[Direct quote from Freud "I must deal with two objections which will be raised against my making use of the present analysis for this purpose. The first objection is that Hans was not a normal child; it would be illegitimate, therefore, to apply to other normal children conclusions which might perhaps be true of him.

According to the second, an analysis of a child conducted by his father, who went to work instilled by my theoretical views and infected with my prejudices, must be entirely devoid of any objective worth."

### From the study by Langlois et al (infant facial preference), describe two findings from 8 study 1. [4]

### Most likely:

- infants looked for longer at attractive than unattractive faces (irrespective of sex of face)
- boys looked for longer at male faces than female faces (and girls showed a same sex • preference)
- no significant effects were found for maternal attractiveness on infant preferences (with • regard to infant sex/sex of stimulus face/attractiveness of stimulus face)
- no effect of maternal attractiveness on preference regarding any other variable (sex of infant, sex of stimulus, attractiveness of stimulus).

### Extract of Table 1

Mean fixation times for high and low attractiveness slides

type of face	high attractiveness		low attractiveness		
	mean	SD	mean	SD	
black female	7.05	1.83	6.52	1.92	

Table 2

Mean fixation times for sex of infant × sex of face interaction

	male	face	femal	e face
sex of infant	mean	SD	mean	SD
male	7.95	1.45	7.36	1.31
female	7.69	1.35	7.81	1.33

1 mark partial (statement of direction of difference), 2 marks full (numbers/elaboration) × 2.

Page 6	Mark Scheme	Syllabu	er
	GCE AS/A LEVEL – October/November 2012	9698	02

### 9 Describe two conclusions from the study by Nelson (children's morals).

### Most likely:

- ambridge.com "...making a moral judgment requires understanding of the evaluative concepts (i.e. 'goo 'bad') to be applied."
- "Also required is comprehension of the motives or goals involved (e.g. 'sharing,' 'helping, 'hurting.' "

### Also:

- younger children are more likely than older ones to make opposite valence motives and • outcomes congruent
- 'bad' is more important to younger children than good / than to older children
- young children make more recall errors on motives than on outcomes
- children develop the concept of 'good' before 'bad' (initially 'good' = no 'badness') so use the first negative cue (whether outcome or motive)

1 mark partial, 2 marks full × 2.

### 10 From the study by Schachter and Singer (emotion):

- (a) All the participants in this study were cleared by the student health service. Give two features of the sample apart from being cleared. [2]
  - male •
  - (college) students
  - taking introductory psychology
  - at University of Minnesota
  - (90%) received (2) extra points on final exam (for every hour they served as an experimental subject).

1 mark × 2.

### (b) Describe why the experimenters had to clear every participant with the student health service. [2]

To ensure no harmful effects would result (from the injection of adrenaline / epinephrine / saline).

1 mark partial, 2 marks full.

### 11 From the study by Maguire et al (taxi drivers):

### (a) Describe the sequential non-topographical task.

[2]

"Memory for films: recalling and describing the plots of familiar famous films between given points in the storyline".

1 mark partial, 2 marks full.

Page 7	Mark Scheme	Syllabu	er er
	GCE AS/A LEVEL – October/November 2012	9698	Do

# (b) Why was it important to do this task as well as the sequential topographical

ambridge.com To see whether navigation requires sequencing and, if so, whether this uses the same areas as nontopographical sequencing.

1 mark partial, 2 marks full.

12 Prior to the experiment conducted by Demattè et al (smells and facial attractiveness) the participants filled in a confidential questionnaire asking about their senses and general health.

### (a) Give two examples of the questions asked.

### Most likely:

- "Are you currently suffering from a cold/flu, or any other temporary respiratory problems?"
- "Do you suffer from asthma or any form of air-born allergy?"
- "Is there anything else concerning your health that you think we should know about?"

### They were also asked about:

- having a normal sense of smell
- (no) history of olfactory dysfunction
- normal or corrected-to-normal vision.

1 mark × 2.

# (b) Explain why one of these questions was asked.

- "Are you currently suffering from a cold/flu, or any other temporary respiratory problems?" stuffed-up nose matters to olfaction
- "Do you suffer from asthma or any form of air-born allergy?" stuffed-up nose matters to olfaction/risk of allergies to smells
- "Is there anything else concerning your health that you think we should know about?" stuffed-up nose matters to olfaction/risk of allergies to smells
- having a normal sense of smell otherwise couldn't do task (statement of obvious)
- (no) history of olfactory dysfunction otherwise couldn't do task (statement of obvious)
- normal or corrected-to-normal vision needed to see faces.

1 mark partial, 2 marks full.

[2]

[2]

Page 8	Mark Scheme	Syllabu	er er
	GCE AS/A LEVEL – October/November 2012	9698	No.

# 13 From the study by Rosenhan (sane in insane places):

(a) Give one example of how staff interpreted the behaviour of the pseudopatients.

### Most likely:

- Cambridge.com queuing early for food: oral-acquisitive behaviour (symptom of disorder/rather than boredom)
- note-taking: engaging in writing behaviour (symptom of forgetting/compulsion of schizophrenia rather than recording events)
- walking corridors: nervous behaviour (rather than boredom).

1 mark partial, 2 marks full.

### (b) How did the real patients interpret the behaviour of the pseudopatients? [2]

# Most likely:

- thought they were journalists
- thought they were professors
- thought they were checking up on the hospital •
- often insisted the pseudopatient was sane (even when the staff did not).

1 mark partial, 2 marks full (one reason well expressed or two ideas).

### 14 In the study on multiple personality disorder, Thigpen and Cleckley carried out a number of tests. Briefly describe the findings of two of these tests. [4]

- IQ: White 110, Black 104 •
- Memory: White memory far above IQ, Black memory on a par with IQ •
- Rorschach: Black healthier but hysterical, able to conform with environment, White -• obsessive compulsive, constriction, anxiety, rigid, unable to cope with hostility;
- Rorschach/human figures: eg defence mechanisms: White regression of married life, Black - regression of life before marriage
- Projective tests generally: White repressive, Black regressive

1 mark partial (statement of direction of difference), 2 marks full (numbers/elaboration) × 2.

		7	
Page 9	Mark Scheme	Syllabu	er
	GCE AS/A LEVEL – October/November 2012	9698	102

# 15 From the study by Veale and Riley (mirror gazing):

(a) Why, according to the cognitive behavioural model of body dysmorphic disord mirror gazing damaging?


Cambridge.com "Mirror gazing is a crucial factor in maintaining the preoccupation with one's appearance... It increases self-consciousness and selective attention, and may magnify the patient's perception of their perceived defects. It therefore distorts their aesthetics judgement."

1 mark partial, 2 marks full × 2.

(b) Give two objects or surfaces, other than mirrors, used by body dysmorphic disorder patients for mirror gazing. [2]

Backs of CDs, cutlery, shop windows, car mirrors (accept this), car windows, car bumpers, fish knives (accept in addition to 'cutlery'), TV screens, reflective table tops, glass watch faces, washroom taps.

1 mark × 2.



No marks for description of study.

Comment	Mark
No answer or incorrect answer.	0
Anecdotal evaluation, brief detail, minimal focus. Very limited range. Evaluation may be inaccurate, incomplete or muddled.	1–3
<i>Either</i> points illustrating ethnocentric bias lack depth and/or breadth <i>or</i> only considered whether the study is or is not biased. The answer is general rather than focused on study but shows some understanding.	4–5
Evaluation is focused on the study and considers both its strengths and weaknesses in terms of ethnocentrism although the evaluation may be imbalanced in terms of quality and/or depth. The answer shows reasonable understanding.	6–7
Balance of detail and quality between strengths and weaknesses in terms of ethnocentrism and both are focused on the study. Evaluation is detailed with good understanding and clear expression.	8–10

Examples of possible evaluation points:

# Mann, Vrij and Bull

- only 2 ethnic groups (Caucasian/Asian)
- very biased numbers (15 Caucasian/1 Asian)
- also language bias (15 English first language, 1 Punjabi speaker but fluent in English)
- problem because crime linked to educational level and may be difficult to access education in additional language
- *but* majority of population in US is English speaking.

### Milgram

- specific attempt to investigate 'Germans are different' hypothesis so needed to use typical Americans
- no specific data on ethnic groups which is a problem precisely because trying to investigate racially-based hypothesis
- especially as all from local area
- *but* in other respects range of occupations, ages etc.
- so perhaps sample was typical of Americans
- especially as paid for attending so transport cost was not a deterrent so no differences in access (which might have been a problem in the 1960s).

### Page 11 **Mark Scheme** GCE AS/A LEVEL – October/November 2012

Syllabu 9698

[10]

### Haney, Banks and Zimbardo

- only 2 ethnic groups (Caucasian/Oriental)
- very biased numbers (23 Caucasian/1 Oriental)
- www.papacambridge.com potentially a problem because conformity varies between individualist and collective societies
- but varied in location e.g. from colleges across the US
- and paid for attending so transport cost was not a deterrent so no differences in access (which might have been a problem in the 1970s).

# 17 Use <u>one</u> of the studies listed below to discuss the benefits of gathering quantitative data.

Dement and Kleitman (sleep and dreaming) Langlois et al (infant facial preference) Billington et al (empathising and systemising)

No marks for description of study

Comment	Mark
No answer or incorrect answer.	0
Anecdotal discussion, brief detail, minimal focus. Very limited range. Discussion may be inaccurate, incomplete or muddled.	1–3
<i>Either</i> points limited to illustrating advantages or disadvantages of gathering quantitative data <i>or</i> lack of depth and/or breadth. The answer is general rather than focused on study but shows some understanding.	4–5
Both advantages or disadvantages are considered and are focused on the study although they may be imbalanced in terms of quality or quantity. The answer shows good discussion with reasonable understanding.	6–7
Balance of detail between advantages and disadvantages and both are focused on the study. Discussion is detailed with good understanding and clear expression.	8–10

Examples of possible discussion points:

### **Dement and Kleitman**

- data such as frequency and voltage of brain waves very accurate therefore reliable [and valid]
- data such as eye movements can be recorded in relation to brain activity to give accurate comparisons
- accurate timing of REM and length of narrative suggest valid relationships
- recording of simple 1/0 quantitative data (such as recall/no recall or right/wrong) is unambiguous so objective and low error rate so reliable
- can use in statistical procedures, e.g. correlations between minutes in REM and number of words in narrative
- but use of scientific equipment to improve reliability/validity may put participants off (e.g. hard to sleep attached to electrodes).

# Page 12

### **Mark Scheme** GCE AS/A LEVEL – October/November 2012

### Langlois et al

- data such as fixation times (on different genders/attractiveness faces) very therefore valid [and reliable]
- www.papaCambridge.com data such as visual preference allows for comparisons to be made (e.g. betwee genders/attractiveness/race faces)
- quantitative measures can be assessed for reliability e.g. rating of attractiveness of stimuli on Likert scales by white and black judges was checked (and was high)
- can use objective statistical procedures on results, e.g. MANOVAs to look for interactions between variables such as sex of stimulus face and attractiveness (there wasn't one)
- but repetition of experimental protocol may have caused fatigue in infants (so had to reduce the number of trials even though this reduces reliability).

### Billington et al

- data such as from the forced-choice Embedded Figures Task done online produced reliable data (scores correlated highly with scores on the original EFT task)
- data from the SQ-R and EQ produce singles scores allowing *comparisons* to be made e.g. • between males/females or science/humanities.
- the eyes test (and EFT) used response times per item as well as total score, making the test more valid (as it overcomes the problem of some individuals spending longer to reach the same conclusion)
- the EFT has an unambiguous correct answer to each item so is objective and likely to be reliable (although was a new version so wasn't tested)
- can use in statistical procedures, e.g. chi-squared tests to look for associations between gender, EQ/SQ-R scores and degree type
- but use of forced choice self-reports may limit validity if participants want to make a choice that isn't available.