

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

0620/23 **CHEMISTRY**

Paper 2 Multiple Choice (Extended) May/June 2018

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 14 printed pages and 2 blank pages.








1 Ammonia gas is reacted with hydrogen chloride gas using the apparatus shown.

Solid ammonium chloride is produced.



Which statement explains why the solid ammonium chloride is formed nearer to the hydrogen chloride?

- **A** Ammonia solution is a base and hydrogen chloride solution is an acid.
- **B** Ammonia molecules diffuse more slowly than hydrogen chloride molecules.
- **C** Hydrogen chloride has a greater molecular mass than ammonia.
- **D** Hydrogen chloride moves by Brownian motion.
- **2** Paper chromatography is done in the same way with three different mixtures of dyes. Each mixture contains at least one of the dyes W, X, Y and Z.

The R_f values of the dyes in the three mixtures are shown.


| dye | R _f values from mixture 1 | R _f values from mixture 2 | R _f values from mixture 3 |
|-----|--------------------------------------|--------------------------------------|--------------------------------------|
| W | 0.15 | 0.15 | 0.15 |
| Х | 0.00 | 0.00 | 0.00 |
| Υ | 0.50 | 0.50 | 0.50 |
| Z | 0.00 | 0.91 | 0.91 |

Which conclusion is correct?

- **A** Dye W is nearest the solvent front and is present only in mixture 1 and mixture 3.
- **B** Dye X has travelled furthest up the chromatography paper.
- **C** Dye Y is the only dye present in all three mixtures.
- **D** Dye Z is nearest the solvent front and is found in only two of the mixtures.

3 Solid R reacted with dilute sulfuric acid.


The initial temperature of the dilute sulfuric acid and the final temperature of the solution are shown.



What was the change in temperature in °C?

- \mathbf{A} -6
- **B** -4
- **C** 4
- **D** 6

4 The 'lead' in a pencil is made of a mixture of graphite and clay.



When the percentage of graphite is increased, the pencil slides across the paper more easily.

Which statement explains this observation?

- A Graphite has a high melting point.
- **B** Graphite is a form of carbon.
- **C** Graphite is a lubricant.
- **D** Graphite is a non-metal.
- 5 Iron has an atomic number of 26. It occurs as the isotopes ⁵⁴Fe, ⁵⁶Fe, ⁵⁷Fe and ⁵⁸Fe.

Which statement explains why these isotopes have the same chemical properties?

- A They have similar mass numbers.
- **B** They have the same number of electrons in their outer shells.
- **C** They have the same number of neutrons in their nuclei.
- **D** They have the same number of protons in their nuclei.

| 6 | Hον | w many silicon a | toms | s are bonded to | each | n oxygen atom in | ас | rystal of silicon(IV) oxide? |
|----|------------|---------------------------------------|--------|-------------------------------|-------|---------------------|------|--|
| | Α | 1 | В | 2 | С | 3 | D | 4 |
| 7 | Wh | ich substance is | not | a macromolecu | le? | | | |
| | A | diamond | | | | | | |
| | В | graphite | | | | | | |
| | С | silicon(IV) oxid | е | | | | | |
| | D | sulfur | | | | | | |
| 8 | | • | | | | ormula of a hydro | | • |
| | | bon dioxide and | | | | was burned in ar | n ex | cess of oxygen to form 20 cm ³ of |
| | Wh | at is C _x H _y ? | | | | | | |
| | Α | CH ₄ | В | C ₂ H ₄ | С | C_2H_6 | D | C ₃ H ₈ |
| 9 | 4.0 0.2 | 0g of solid sodi 00 mol/dm³. | um | hydroxide is ad | ded | to water to make | ке а | solution with a concentration of |
| | Wh | at is the volume | of w | ater used? | | | | |
| | Α | $0.5\mathrm{cm}^3$ | В | 20 cm ³ | С | 500 cm ³ | D | 2000 cm ³ |
| 10 | Aqı | ueous copper(II) | sulf | ate is electrolyse | ed u | sing copper elec | trod | es. |
| | Wh | ich statement is | corr | ect? | | | | |
| | Α | Oxygen gas is | prod | uced at the posi | tive | electrode. | | |
| | В | The blue colour | r of t | he solution grad | ually | y fades. | | |
| | С | The concentrat | ion d | of copper ions in | the | solution stays th | e sa | ime. |
| | D | The mass of the | e ne | gative electrode | dec | reases. | | |
| | | | | | | | | |

11 Dilute sulfuric acid is electrolysed using inert electrodes.

What are the ionic half-equations for the reactions that take place at each electrode?

| | positive electrode | negative electrode |
|---|--|--|
| Α | $2H^{+} + 2e^{-} \rightarrow H_{2}$ | $4OH^{-} \rightarrow 2H_{2}O + O_{2} + 4e^{-}$ |
| В | $2H^{+} + 2e^{-} \rightarrow H_{2}$ | $4OH^- + 4H^+ \rightarrow 4H_2O$ |
| С | $4OH^{-} \rightarrow 2H_{2}O + O_{2} + 4e^{-}$ | $2H^{+} + 2e^{-} \rightarrow H_{2}$ |
| D | $4OH^- + 4H^+ \rightarrow 4H_2O$ | $2H^{+} + 2e^{-} \rightarrow H_{2}$ |

- **12** Information about two reactions is given.
 - The neutralisation reaction between citric acid and sodium hydrogencarbonate is endothermic.
 - The displacement reaction between magnesium and carbon dioxide is exothermic.

Which statements about the two reactions are correct?

- The energy of the products formed in the neutralisation reaction is greater than the energy of the reactants.
- 2 The energy of magnesium and carbon dioxide is greater than the energy of magnesium oxide and carbon.
- 3 In an exothermic reaction, the energy required to break the bonds is greater than the energy released when the new bonds are formed.
- **A** 1, 2 and 3
- **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- **13** Ethene reacts with hydrogen. The equation is shown.

$$CH_2=CH_2 + H_2 \rightarrow C_2H_6$$

The bond energies are shown in the table. The reaction is exothermic.

| bond | bond energy in kJ/mol |
|------|--------------------------|
| C–C | +350 |
| C=C | +610 |
| C–H | +410 |
| H–H | +436 |

What is the energy change for the reaction?

- **A** -560 kJ/mol **B** -124 kJ/mol
- **C** +486 kJ/mol **D** +5496 kJ/mol

14 Which row describes the effects of increasing both concentration and temperature on the collisions between reacting particles?

| | increasing concentration | increasing temperature |
|---|--|--|
| Α | more collisions per second only | more collisions per second only |
| В | more collisions per second and more collisions with sufficient energy to react | more collisions per second only |
| С | more collisions per second only | more collisions per second and more collisions with sufficient energy to react |
| D | more collisions per second and more collisions with sufficient energy to react | more collisions per second and more collisions with sufficient energy to react |

15 In the Contact process, sulfur dioxide is converted into sulfur trioxide in a reversible reaction.

$$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$$

The forward reaction is exothermic.

Which conditions give the highest yield of sulfur trioxide at equilibrium?

| | pressure / atmospheres | temperature |
|---|---------------------------|-------------|
| Α | 0.5 | high |
| В | 0.5 | low |
| С | 1.5 | high |
| D | 1.5 | low |

16 The equation for a redox reaction is shown.

$$2Fe^{3+}$$
 + $Zn \rightarrow 2Fe^{2+}$ + Zn^{2+}

Which statements are correct?

- 1 Fe³⁺ is reduced to form Fe²⁺.
- 2 Zn oxidises the Fe³⁺ ions.
- 3 Fe³⁺ is an oxidising agent.

A 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

- 17 Which statement about oxides is correct?
 - A A solution of magnesium oxide has a pH less than pH 7.
 - **B** A solution of sulfur dioxide has a pH greater than pH 7.
 - **C** Magnesium oxide reacts with nitric acid to make a salt.
 - **D** Sulfur dioxide reacts with hydrochloric acid to make a salt.
- **18** The equation represents an equilibrium in aqueous ammonia.

$$NH_3(aq) + H_2O(I) \rightleftharpoons NH_4^+(aq) + OH^-(aq)$$

How does aqueous ammonia behave in this reaction?

- A as a strong acid
- B as a strong base
- C as a weak acid
- D as a weak base
- **19** An excess of aqueous sodium sulfate was added to aqueous barium chloride and the mixture was filtered.

Which row shows the identity of the residue and the substances present in the filtrate?

| | residue | substances in filtrate |
|---|-----------------|-------------------------------------|
| Α | barium sulfate | barium chloride and sodium chloride |
| В | barium sulfate | sodium chloride and sodium sulfate |
| С | sodium chloride | barium chloride and sodium sulfate |
| D | sodium chloride | barium sulfate and sodium sulfate |

- 20 Which methods are suitable for preparing **both** zinc sulfate and copper(II) sulfate?
 - 1 reacting the metal oxide with warm dilute aqueous sulfuric acid
 - 2 reacting the metal with dilute aqueous sulfuric acid
 - 3 reacting the metal carbonate with dilute aqueous sulfuric acid
 - **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only


| | | | | | | | | _ |
|----|---------------|------------|--------------|----------|--------------|-----------|--------|--------|
| 21 | \//hich | alamant id | s classified | as a non | ∟metal in | the Perio | ndic T | ¹ahle? |
| | V V I II CI I | | o Glassilica | 43 4 HOH | -iiiciai iii | | Juic i | abic: |

- A calcium
- **B** chlorine
- **C** chromium
- **D** copper

22 Part of the Periodic Table is shown.

Element Q has a low boiling point, low density and does not conduct electricity.


Which element is Q?





23 Which row describes a typical transition element?


| | density in g/cm ³ | melting point in °C | boiling point in °C | colour of oxide |
|---|---------------------------------|------------------------|------------------------|-----------------|
| Α | 0.97 | 98 | 883 | white |
| В | 2.64 | 769 | 1382 | white |
| С | 3.10 | - 7 | 59 | yellow |
| D | 8.96 | 1085 | 2562 | red |

24 Which diagram represents a solid alloy?









25 The ionic equations for four reactions are shown.

$$Z + X^{2+} \rightarrow Z^{2+} + X$$
 $Z + 2W^{+} \rightarrow Z^{2+} + 2W$
 $X + 2W^{+} \rightarrow X^{2+} + 2W$
 $Y + Z^{2+} \rightarrow Y^{2+} + Z$

What is the order of reactivity of the four metals, W, X, Y and Z?

| | most reactiv | r | least eactive | |
|---|-----------------|---|------------------|---|
| Α | W | Х | Z | Y |
| В | Х | W | Υ | Z |
| С | Υ | Z | Х | W |
| D | Z | W | Χ | Y |

26 Which equation represents the first stage in the extraction of zinc from zinc blende?

A
$$2ZnS + 3O_2 \rightarrow 2ZnO + 2SO_2$$

$$\textbf{B} \quad ZnS \, + \, H_2O \, \rightarrow \, ZnO \, + \, H_2S$$


$$\mathbf{C}$$
 ZnO + CO \rightarrow Zn + CO₂

$$\textbf{D} \quad ZnO \ + \ H_2SO_4 \ \rightarrow \ ZnSO_4 \ + \ H_2O$$

27 Which statement explains why aluminium is used to manufacture aircraft?

- **A** It has a low density.
- **B** It is a good conductor of electricity.
- **C** It is a good conductor of heat.
- **D** It is ductile.

28 Dry air is passed over hot copper until all the oxygen has reacted.



The volume of gas at the end of the reaction is 120 cm³.

What is the starting volume of dry air?

- **A** 132 cm³
- **B** 152 cm³
- **C** 180 cm³
- **D** 570 cm³

29 A steel bicycle which had been left outdoors for several months was starting to rust.

What would **not** reduce the rate of corrosion?

- A Remove the rust and paint the bicycle.
- **B** Remove the rust and store the bicycle in a dry shed.
- **C** Remove the rust and wipe the bicycle with a clean, damp cloth.
- **D** Remove the rust and wipe the bicycle with an oily cloth.
- 30 Which statements about water are correct?
 - 1 Household water contains dissolved salts.
 - 2 Water for household use is filtered to remove soluble impurities.
 - 3 Water is treated with chlorine to kill bacteria.
 - 4 Water is used in industry for cooling.
 - **A** 1, 2, 3 and 4
 - **B** 1, 2 and 3 only
 - C 1, 3 and 4 only
 - **D** 2, 3 and 4 only

31 Ammonia is manufactured by reacting hydrogen with nitrogen in the Haber process.

Which row describes the sources of hydrogen and nitrogen and the conditions used in the manufacture of ammonia in the Haber process?

| | source of hydrogen | source of nitrogen | temperature of reaction/°C | pressure of reaction/atm |
|---|-----------------------|--------------------|----------------------------|--------------------------|
| Α | air | natural gas | 250 | 2 |
| В | air | natural gas | 250 | 200 |
| С | natural gas | air | 450 | 2 |
| D | natural gas | air | 450 | 200 |

- 32 Which statements about the carbon cycle are correct?
 - 1 Carbon dioxide is added to the atmosphere by respiration.
 - 2 Carbon dioxide is added to the atmosphere by combustion of coal.
 - 3 Carbon dioxide is removed from the atmosphere by photosynthesis.
 - **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- **33** Element Z forms an oxide, ZO₂. Three uses of ZO₂ are listed.
 - bleaching agent
 - killing bacteria
 - manufacturing an important acid

What is Z?

- **A** carbon
- **B** lead
- C nitrogen
- **D** sulfur

| | 34 | Limestone is | an important | t material with | many uses |
|--|----|--------------|--------------|-----------------|-----------|
|--|----|--------------|--------------|-----------------|-----------|

Limestone is heated to produce1..... and carbon dioxide.

This reaction is called2......

Which words correctly complete gaps 1 and 2?

| | 1 | 2 |
|---|-------------|-----------------------|
| Α | lime | neutralisation |
| В | lime | thermal decomposition |
| С | slaked lime | neutralisation |
| D | slaked lime | thermal decomposition |

35 What is **not** the correct use of the fraction named?

| | name of fraction | use |
|---|------------------|------------------------|
| Α | fuel oil | making waxes |
| В | gas oil | fuel in diesel engines |
| С | kerosene | jet fuel |
| D | naphtha | making chemicals |

36 Methane, ethane and propane belong to a family of hydrocarbons called alkanes.

What is the general formula of an alkane?

| Α. | \sim | |
|----|--------|-----|
| А | Un | ฅวก |

 $\mathbf{B} \quad \mathsf{C}_{\mathsf{n}}\mathsf{H}_{\mathsf{2n+1}}$

| C | C_nH_{2n-1} | |
|---|---------------|--|
| • | Oni i2n-1 | |

 \mathbf{D} C_nH_{2n+2}

37 Which substances can be obtained by cracking hydrocarbons?

A ethanol and ethene

B ethanol and hydrogen

C ethene and hydrogen

D ethene and poly(ethene)

38 Which row describes an advantage and a disadvantage of making ethanol by fermentation?

| | advantage | disadvantage |
|---|------------------------------------|--------------------------------------|
| Α | uses a renewable resource | occurs at a slow rate |
| В | needs a high temperature | produces impure ethanol as a product |
| С | produces pure ethanol as a product | needs a high temperature |
| D | occurs at a slow rate | uses a non-renewable resource |

- **39** Which esters have the molecular formula $C_5H_{10}O_2$?
 - 1 ethyl propanoate
 - 2 propyl ethanoate
 - 3 butyl methanoate
 - 4 methyl butanoate
 - **A** 1, 2, 3 and 4
 - **B** 1, 2 and 3 only
 - C 1 and 2 only
 - **D** 3 and 4 only
- **40** A polymer linkage contains carbon, hydrogen, nitrogen and oxygen atoms.

Which row about the polymer is correct?

| | type of polymer | formed by |
|---|-----------------|-----------------------------|
| Α | polyamide | addition polymerisation |
| В | polyamide | condensation polymerisation |
| С | polyester | addition polymerisation |
| D | polyester | condensation polymerisation |

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

=

The Periodic Table of Elements

| Group | | | | | | | | | | | | | | | | | |
|--------------------------|-----------------------------|----------------|-----------------|-------------------------|------------------|-----------------|------------------|----------------|------------------|---------------|----------------|--------------------|------------------------|---------------------------------|-------------------------|--------------------------|------------------------|
| 1 | П | | III IV V VI VII | | | | | | | | | | | | | | VIII |
| | T H hydrogen 1 | | | | | | | | | | | | | | 2 He | | |
| 3 Li lithium 7 | 4 Be beryllium 9 | | ato | atomic numbe mic sym | bol | | | 1 | | | | 5 B boron | 6 C carbon 12 | 7 N nitrogen 14 | 8 O oxygen 16 | 9 F fluorine 19 | 10 Ne neon 20 |
| 11 Na sodium 23 | 12 Mg magnesium 24 | | | | | I | | | | | | 13 Al aluminium 27 | 14 Si silicon 28 | 15 P phosphorus 31 | 16 S sulfur 32 | 17 Cl chlorine 35.5 | 18 Ar argon 40 |
| 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
| K | Ca | Sc | Ti | V | Cr | Mn | Fe | Co | Ni | Cu | Zn | Ga | Ge | As | Se | Br | Kr |
| potassium 39 | calcium 40 | scandium 45 | titanium 48 | vanadium 51 | chromium 52 | manganese 55 | iron 56 | cobalt 59 | nickel 59 | copper 64 | zinc 65 | gallium 70 | germanium 73 | arsenic 75 | selenium 79 | bromine 80 | krypton 84 |
| 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 |
| Rb | Sr | Υ | Zr | Nb | Mo | Tc | Ru | Rh | Pd | Ag | Cd | In | Sn | Sb | Te | I | Xe |
| rubidium 85 | strontium 88 | yttrium 89 | zirconium 91 | niobium 93 | molybdenum 96 | technetium - | ruthenium 101 | rhodium 103 | palladium 106 | silver 108 | cadmium 112 | indium 115 | tin 119 | antimony 122 | tellurium 128 | iodine 127 | xenon 131 |
| 55 | 56 | 57–71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 |
| Cs | Ba | lanthanoids | Hf | Ta | W | Re | Os | Ir | Pt | Au | Hg | T1 | Pb | Bi | Po | At | Rn |
| caesium 133 | barium 137 | | hafnium 178 | tantalum 181 | tungsten 184 | rhenium 186 | osmium 190 | iridium 192 | platinum 195 | gold 197 | mercury 201 | thallium 204 | lead 207 | bismuth 209 | polonium — | astatine - | radon — |
| 87 | 88 | 89–103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | | 114 | | 116 | | |
| Fr | Ra | actinoids | Rf | Db | Sg | Bh | Hs | Mt | Ds | Rg | Cn | | F1 | | Lv | | |
| francium | radium | | rutherfordium | dubnium | seaborgium | bohrium | hassium | meitnerium | darmstadtium | roentgenium | copernicium | | flerovium | | livermorium | | |
| _ | _ | | _ | _ | _ | _ | _ | _ | _ | | _ | | _ | | - | | |

| | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 |
|-------------|------------------|----------------|---------------------|------------------|-----------------|-----------------|-----------------|-------------------|----------------|-------------------|------------------|---------------|------------------|------------------|-----------------|
| lanthanoids | La | Ce | Pr | Nd | Pm | Sm | Eu | Gd | Tb | Dy | Но | Er | Tm | Yb | Lu |
| | lanthanum 139 | cerium 140 | praseodymium 141 | neodymium 144 | promethium — | samarium 150 | europium 152 | gadolinium 157 | terbium 159 | dysprosium 163 | holmium 165 | erbium 167 | thulium 169 | ytterbium 173 | lutetium 175 |
| | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 |
| actinoids | Ac | Th | Pa | U | Np | Pu | Am | Cm | Bk | Cf | Es | Fm | Md | No | Lr |
| | actinium - | thorium 232 | protactinium 231 | uranium 238 | neptunium — | plutonium — | americium – | curium – | berkelium – | californium – | einsteinium – | fermium – | mendelevium – | nobelium – | lawrencium - |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).