



---

**BIOLOGY**

**0610/52**

Paper 5 Practical Test

**May/June 2018**

MARK SCHEME

Maximum Mark: 40

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2018 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

IGCSE™ is a registered trademark.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

---

This document consists of **8** printed pages.

**PUBLISHED****Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Mark schemes will use these abbreviations**

- ; separates marking points
- / alternatives
- I ignore
- R reject
- A accept (for answers correctly cued by the question, or guidance for examiners)
- AW alternative wording (where responses vary more than usual)
- AVP any valid point
- **ecf** credit a correct statement / calculation that follows a previous wrong response
- **ora** or reverse argument
- ( ) the word / phrase in brackets is not required, but sets the context
- underline actual word given must be used by candidate (grammatical variants excepted)
- max indicates the maximum number of marks that can be given

Question	Answer	Marks	Guidance
1(a)(i)	start temperature and final temperature recorded for each water-bath ;	1	
1(a)(ii)	one table drawn with (ruled) header line and minimum two columns ; appropriate headings ; height recorded for warm and cool over 5 minutes (for each minute) ; correct trend ; (check Supervisor's report)	4	R units in any data cell
1(b)(i)	the level of yeast suspension rises (in large test-tube) ; the level of yeast suspension decreases (in smaller test-tube) ; the displacement of gas increases as temperature increases ; the level of gas at the top of the test-tube is greater at higher temperatures ; it rises faster / more, in the warm than the cool ; respiration / rate of reaction, is greater at higher temperatures ; <b>ora</b>	1	conclusions need to match the candidate's data
1(b)(ii)	idea that there is a layer of air acting as an insulator / the water in the water-bath is not in contact with glass of the small test-tube ; no time was given to equilibrate ;	1	
1(b)(iii)	<i>error</i> inaccuracy of the hand-drawn scale ; marks rubbed off the test-tube ;  <i>improvement</i> use a measuring cylinder / gas syringe / burette ;	2	the improvement must match the error
1(b)(iv)	(independent variable) temperature ; (dependent variable) height of yeast (foam) / volume of gas produced ;	2	
1(c)(i)	(average volume 13.6 ;  (average rate) 2.72 or 2.7 ;	2	

Question	Answer	Marks	Guidance
1(c)(ii)	<p><b>A</b>(xes) – labelled with units percentage concentration of glucose and <u>average</u> rate of carbon dioxide production / cm<sup>3</sup> per minute ;</p> <p><b>S</b>(cale) – suitable scale and data occupies at least half the grid in both direction ;</p> <p><b>P</b>(lot) – all points plotted accurately <math>\pm</math> half a small square ;</p> <p><b>L</b>(ines) – suitable line drawn (point to point or a smoothed curve) ;</p>	<b>4</b>	
1(c)(iii)	<p>as concentration (of glucose) increases the rate (of CO<sub>2</sub>) production increases ;</p> <p>levels off (at 2.0 or 2.5%) / AW / rate of carbon dioxide production decreases (at 1.5–2.0%) ;</p> <p>data quote with units; e.g. rises from 1.3 cm<sup>3</sup> per min to 4.3 / 4.4 cm<sup>3</sup> per min or levels off at 2.0 / 2.5% glucose <b>or</b> levels off at 4.3 / 4.4 cm<sup>3</sup> per minute (of carbon dioxide)</p>	<b>3</b>	
1(c)(iv)	1.05(%) ;	<b>1</b>	<b>A</b> $\pm$ 0.05%
1(d)(i)	<p>add Benedict's reagent ;</p> <p>heat ;</p> <p>green / orange / yellow / red colour, shows presence of reducing sugars ;</p>	<b>3</b>	

Question	Answer	Marks	Guidance						
1(d)(ii)	<table border="1"> <tr> <td><i>hazard</i></td> <td><i>precaution</i></td> </tr> <tr> <td>Benedict's reagent</td> <td>goggles / gloves</td> </tr> <tr> <td>heating / ref. to dangers of using hot water</td> <td>use a thermostatically controlled water-bath / AVP (goggles / gloves / use of tongs / stand while doing the experiment /</td> </tr> </table>	<i>hazard</i>	<i>precaution</i>	Benedict's reagent	goggles / gloves	heating / ref. to dangers of using hot water	use a thermostatically controlled water-bath / AVP (goggles / gloves / use of tongs / stand while doing the experiment /	2	I being careful / supervision
<i>hazard</i>	<i>precaution</i>								
Benedict's reagent	goggles / gloves								
heating / ref. to dangers of using hot water	use a thermostatically controlled water-bath / AVP (goggles / gloves / use of tongs / stand while doing the experiment /								

Question	Answer	Marks	Guidance
2(a)(i)	<p><b>O</b> (utline) single clear line no shading ;</p> <p><b>S</b> (ize) use at least half available space (<b>AB</b> greater than 85 mm) ;</p> <p><b>D</b> (etail) eight algae ;</p> <p><b>D</b> (etail) circle drawn in the centre ;</p>	4	
2(a)(ii)	<p><b>AB</b> = 85 (mm) or 8.5 (cm) ;</p> <p>0.2 (mm) or 0.02 (cm) ;;</p>	3	<p><b>A</b> 84–86 mm</p> <p><b>ecf</b> wrong <b>AB</b> but correct actual diameter from their measurements for max 2</p> <p>max 2 if no units given or wrong units given</p> <p><b>A</b> correct answer in micrometres</p>

Question	Answer	Marks	Guidance
2(b)(i)	<p><i>independent variable:</i></p> <p><b>1</b> at different light (intensities) ;</p> <p><i>dependent variable:</i></p> <p><b>2</b> record colour of hydrogencarbonate indicator after a time or record the time taken to reach a set colour ;</p> <p><i>controlled variables:</i></p> <p><b>3</b> same amount / number / mass / species / type, of algae ;</p> <p><b>4</b> same volume / concentration, of hydrogencarbonate indicator ;</p> <p><b>5</b> same temperature ;</p> <p><b>6</b> same time / same end colour ;</p> <p><b>7</b> same initial colour of indicator at the start ;</p> <p><i>methodology: Max 3 from mp8–11</i></p> <p><b>8</b> detail of a quantitative method used to achieve different light intensities e.g. moving light source / use of bulbs with different light intensities / determining light intensity with a light meter ;</p> <p><b>9</b> method of achieving constant temperature e.g. heat shield / screen / low energy bulb / LED bulb ;</p> <p><b>10</b> use of a control tube with no algae ;</p> <p><b>11</b> time to equilibrate (to different light intensities) ;</p> <p><b>12</b> two or more repeats / replicates ;</p>	<b>6</b>	max 3 from mp3–7
2(b)(ii)	Universal Indicator / litmus ' AVP	<b>1</b>	