



Cambridge IGCSE™

PHYSICS

0625/42

Paper 4 Extended Theory

May/June 2022

MARK SCHEME

Maximum Mark: 80

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2022 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

This document consists of **12** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
- 5 'List rule' guidance
For questions that require *n* responses (e.g. State **two** reasons ...):
 - The response should be read as continuous prose, even when numbered answer spaces are provided.
 - Any response marked *ignore* in the mark scheme should not count towards *n*.
 - Incorrect responses should not be awarded credit but will still count towards *n*.
 - Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
 - Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Acronyms and shorthand in the mark scheme

Acronym/shorthand	Explanation
A marks	Final answer marks which are awarded for correct final answers to numerical questions.
C marks	Compensatory marks which may be scored to give partial credit when final answer (A) marks for a question have not been scored.
B marks	Independent marks which do not depend on other marks.
M marks	Method marks which must be scored before any subsequent final answer (A) marks can be scored.
Brackets ()	Words not explicitly needed in an answer however if a contradictory word/phrase/unit to that in the brackets is seen the mark cannot be scored.
<u>Underlining</u>	The underlined word (or a synonym) must be present for the mark to be scored. If the word is a technical scientific term, the word must be there.
<u>owtte</u>	Or words to that effect
<u>ignore</u>	If seen, this incorrect or irrelevant point may be disregarded, i.e. it is not to be treated as contradictory.
<u>not/NOT</u>	An incorrect point which contradicts any correct point and means the mark cannot be scored.
<u>ecf [question part]</u>	Indicates that a candidate using an erroneous value from the stated question part must be given credit here if the erroneous value is used correctly here. i.e. their error is carried forward to this question and they are not penalised a second time for one error.
<u>cao</u>	correct answer only

Question	Answer	Marks
1(a)(i)	($E =$) 2 200 000 (J) OR 2.2×10^6 (J)	A3
	($E =$) Pt in any form	C1
	($E =$) 600×3600	C1
1(a)(ii)	chemical	B1
1(b)	($t =$) 8600 s OR 140 min OR 2.4 h OR 2 h 24 min OR ($t =$) 8800 s OR 147 min OR 2 h 27 min	A2
	($t =$) $2.2 \times 10^6 / 250$ OR $(600 \times 60) / 250$ OR $1 \times 600 / 250$	C1
1(c)	any two from: <ul style="list-style-type: none"> • less noise OR no noise • less OR no air / gaseous pollution (from the bicycle) OR does not produce acid rain • (the bicycle) uses no / less fossil fuel • does not contribute to greenhouse effect OR does not release CO₂ 	B2

Question	Answer	Marks
2(a)	($F = 2.0 \times 4.0 =$) 8.0 N	A2
	($F =$) ma in any form	C1

Question	Answer	Marks
2(b)	$(F = 30 - 12 =) 18 \text{ N}$	A3
	resultant force on 3 kg mass $(3 \times 4 =) 12 \text{ (N)}$	C1
	(weight of 3 kg mass $= 3 \times 10) = 30 \text{ (N)}$	C1
2(c)(i)	$(\Delta v =) 4.0 \times 0.80 (= 3.2 \text{ m/s})$	A2
	$(\Delta)v = at$ in any form	C1
2(c)(ii)	$(t = 0.020 / 3.2 =) 0.0063 \text{ s OR } 6.3 \times 10^{-3} \text{ s}$	A2
	$(t =) d/v$ in any form	C1

Question	Answer	Marks
3(a)	scale at least 2 cm : 1 m/s stated	B1
	2.5 m/s AND 4.0 m/s vectors correctly drawn by eye AND correct resultant	M1
	magnitude of resultant velocity = 2.3 – 2.8 m/s inclusive	A1
	direction $35^\circ - 40^\circ$ inclusive (downstream)	A1
3(b)	$(E = \frac{1}{2} \times 65 \times 2.5^2 =) 200 \text{ J}$	A2
	$(E =) \frac{1}{2} mv^2$ in any form	C1

Question	Answer	Marks
4(a)	statement: bore of constant (cross sectional) area	B1
	explanation: idea of same movement / change in length of liquid / thread AND for same increase in volume / expansion (of liquid)	B1
	statement: (liquid has) constant thermal expansion	B1
	explanation: liquid moves same distance for each °C temperature rise	B1
4(b)	heat capacity / it is small	B1
	only uses / needs a small amount of (thermal) energy (to raise its temperature)	B1
4(c)	36 J	A3
	$(E =) C\Delta T$ in any form	C1
	$(E =) 0.11 \times (345 - 20)$ OR $(\Delta T =) 325$ (°C)	C1

Question	Answer	Marks
5(a)(i)	ultrasound OR sound (frequency) above audible range	B1
	frequency > 20 kHz OR 20 000 Hz	B1
5(a)(ii)	8.7×10^{-4} m	A3
	$(\lambda =) v/f$ OR $v = f\lambda$ in any form	C1
	$(\lambda =) 1.3 \times 10^3 / 1.5 \times 10^6$ OR 8.7×10^n	C1
5(b)	basic description of use e.g. X-rays for detecting broken bones	B1
	additional detail e.g. X-rays pass through soft tissue AND not through bone	B1

Question	Answer	Marks
6(a)	1.9–2.1 cm	B1
6(b)	(circle round) enlarged	B1
	(circle round) inverted	B1
	(circle round) real	B1
6(c)	not an intersection of rays OR cannot be formed on a screen OR cannot be projected on a screen OR light rays do not pass through image OR light rays do not meet OR light rays do not converge	B1

Question	Answer	Marks
7(a)	(pole A:) N AND (pole B:) S	B1
7(b)	vertical	B1
	up	B1
7(c)	vertical	B1
	down	B1

Question	Answer	Marks
8(a)	($t = 1/60 =$) 0.017 s OR 1.7×10^{-2} s	B1
8(b)(i)	diode	B1
8(b)(ii)	($I =$) 1.4 A	A3
	($I =$) Q/t in any form	C1
	($I =$) $1.5 \times 10^{17} \times 1.6 \times 10^{-19} / 0.017$ OR 0.024 / 0.017	C1

Question	Answer	Marks
8(c)	one arrow clockwise AND one arrow anticlockwise	B1
	arrow anticlockwise (around circuit) <u>labelled</u> I	B1
8(d)	$(P = 0.35 \times 12 =) 4.2 \text{ W}$	A2
	$(P =) IV$ in any form	C1

Question	Answer	Marks
9(a)(i)	0 (A)	B1
9(a)(ii)	$(I = 12/2 =) 6.0 \text{ A}$	A2
	$(I =) V/R$ in any form	C1
9(a)(iii)	$(I = 12/5 =) 2.4 \text{ A}$	A2
	$(R_s = R_1 + R_2 = 2 + 3 =) 5 (\Omega)$	C1
9(b)	$(R_p = 6/5 =) 1.2 \Omega$	A3
	$1/R_p = 1/R_1 + 1/R_2$ OR $(R_p =) R_1 R_2 / (R_1 + R_2)$	C1
	$1/R_p = 1/2 + 1/3$ OR $(R_p =) 2 \times 3 / (2 + 3)$	C1

Question	Answer	Marks										
10(a)	<table border="1"> <thead> <tr> <th>output of X</th> <th>output of Y</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>0</td> </tr> <tr> <td>1</td> <td>0</td> </tr> <tr> <td>0</td> <td>1</td> </tr> <tr> <td>0</td> <td>0</td> </tr> </tbody> </table>	output of X	output of Y	1	0	1	0	0	1	0	0	
	output of X	output of Y										
	1	0										
	1	0										
	0	1										
0	0											
all column X correct 1, 1, 0, 0	B1											
first 2 rows of column Y correct 0, 0	B1											
last 2 rows of column Y correct 1, 0	B1											
10(b)	high humidity AND dark(ness)	B1										
10(c)	relay	M1										
	low voltage output (of NOR gate/gate Y) OR small current (in relay coil)	A1										
	large(r) current provided (by relay) OR large(r) voltage provided (by relay)	A1										

Question	Answer	Marks
11(a)(i)	top: travels to left	B1
	middle: deflected down AND still travels to right	B1
	bottom: straight on	B1

Question	Answer	Marks
11(a)(ii)	plus OR positive OR +	B1
11(b)	79 (electrons)	B1
	119 (neutrons)	B1
	79 (protons)	B1