

Cambridge IGCSE[™]

CANDIDATE NAME		
CENTRE NUMBER		CANDIDATE NUMBER
COMPUTER	SCIENCE	0478/12
Paper 1 Theory		February/March 2021
		1 hour 45 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- Calculators must **not** be used in this paper.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].
- No marks will be awarded for using brand names of software packages or hardware.

This document has 16 pages. Any blank pages are indicated.

- 1 A hockey club records the number of people that watch each match. An 8-bit binary register is used to store this value.
 - (a) 46 people watch the first match and 171 people watch the second match.

Show how the registers would store these denary values as 8-bit binary.

	Denary value 8-bit binary									
	46								-	
	171								-	
	Working space	e								[2]
(b)	Give the large	st denary	value t	hat ca	n be st	ored ir	n the 8	-bit bir	nary register.	
										[1]
(c)	The hockey cl The 8-bit bina								an watch each n ue.	natch to 2000.
	Give the smal	lest numb	er of bi	ts that	can be	e used	to sto	re the	denary value 200	00.
										[1]
	Working space	е								

- (d) Electronic data about the final score for the match is transmitted to a central computer 30 kilometres away, using serial transmission.
 - (i) Explain why serial transmission is more appropriate than parallel transmission in this scenario.

.....[3] (ii) The data transmission is also half-duplex. Describe half-duplex data transmission. _____[2] (iii) The data transmission uses checksums. Describe how checksums are used to detect errors in data transmission.[3]

- 2 Gurdeep takes high definition photographs using a digital camera. She has set up a website where users can view thumbnails of her photographs. A thumbnail is a small version of the high definition photograph.
 - (a) Gurdeep compresses the high definition photographs to create the thumbnails. She uses lossy compression.

Describe how lossy compression creates the thumbnails.

[3]

(b) Gurdeep sets up a web server to host her website. She reads about an Internet Protocol (IP) address, a Media Access Control (MAC) address and a Uniform Resource Locator (URL).

Draw a line to connect each term to the correct example.



- (c) Users can buy the high definition photographs from the website. When a user buys a high definition photograph, a Secure Socket Layer (SSL) connection is created.
 - (i) Give **one** benefit of using an SSL connection.

	[1]
(ii)	Explain how the SSL connection is created.
	[4]

3 The given table shows the name or description of four devices. The table is incomplete.

Complete the missing device names and descriptions.

Device name	Description
	Uses either thermal bubble or piezoelectric technology
Actuator	
	Uses thousands of tiny mirrors that can move very quickly to create an image
Mouse	
	[4]

(a) Explain how the barcode is read at the supermarket checkout and how the price of the product is found.[6] (b) The supermarket stores data using a Solid State Drive (SSD). Explain how an SSD stores data. (i)[3] One advantage of an SSD rather than a Hard Disk Drive (HDD) is that it has no moving (ii) parts, so it is more durable. State one other advantage of the supermarket using SSD rather than HDD.

A supermarket sells many products. Each product has a barcode.

4

5 Computers use logic gates.

Truth table			Logic gate		
Α	В	Output			
0	0	1			
0	1	1			
1	0	1			
1	1	0			
Α	В	Output			
0	0	0			
0	1	1			
1	0	1			
1	1	0			
Α	В	Output			
0	0	1			
0	1	0			
1	0	0			
1	1	0			

(a) State the **single** logic gate that produces each truth table.

[3]

(b) An aeroplane has a warning system that monitors the height of the aeroplane above the ground, whether the aeroplane is ascending or descending, and the speed of the aeroplane.

Input	Binary value	Condition		
Height	1	Height is less than 500 metres		
(H)	0	Height is greater than or equal to 500 metres		
Ascending or	1	Aeroplane is ascending or in level flight		
Descending (A)	0	Aeroplane is descending		
Speed	1	Speed is less than or equal to 470 knots		
(S)	0	Speed is greater than 470 knots		

Height is less than 500 metres and the aeroplane is descending

or

The aeroplane is descending and speed is greater than 470 knots

Draw a logic circuit to represent the warning system.



- 6 Hacking is one type of Internet risk used to obtain personal data that is stored on a computer.
 - (a) Explain how a firewall can help prevent hacking.

_____[4] (b) Identify and describe two other types of internet risk that are used to obtain personal data. Internet risk 1 Description Internet risk 2 Description [6]

- 7 Adeel has used a high-level language to program a mobile application.
 - (a) Describe what is meant by a high-level language.

(b) Adeel uses an interpreter while developing and testing the application.

Adeel uses a compiler when the application is ready to be shared with others.

Compare the features of interpreters and compilers.

[4]

(c) Adeel is considering distributing his application as free software or shareware.

Explain the difference between free software and shareware.

[5]

(d)	Adeel is concerned about his application being plagiarised.
	Define the term plagiarism.
	[1]
(e)	Adeel copyrights his application.
	State why Adeel copyrights his application.
	[1]

- 8 The Von Neumann model, for a computer system, uses the stored program concept.
 - (a) Describe what is meant by the stored program concept.

			[2]
(b)	The buse	fetch-execute cycle of a Von Neumann model, for a computer system, uses registers a es.	nd
	(i)	Describe the role of the Program Counter.	
			[2]
	(ii)	Describe the role of the Control Bus.	
			[2]
(c)	Con	nputers based on the Von Neumann model, for a computer system, use interrupts.	
	Exp	lain why interrupts are needed.	
			[2]

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.