



## **Cambridge International AS & A Level**

---

**BIOLOGY**

**9700/36**

Paper 3 Advanced Practical Skills 2

**October/November 2022**

**MARK SCHEME**

Maximum Mark: 40

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2022 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

---

This document consists of **7** printed pages.

**PUBLISHED****Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Science-Specific Marking Principles**

1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.

2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.

3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).

4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards *n*.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

**6** Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g.  $a \times 10^n$ ) in which the convention of restricting the value of the coefficient ( $a$ ) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

**7** Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

**Mark scheme abbreviations:**

;	separates marking points
/	alternative answers for the same marking point
R	reject
A	accept
I	ignore
AVP	any valid point
AW	alternative wording (where responses vary more than usual)
ecf	error carried forward
<u>underline</u>	actual word underlined must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument

**PUBLISHED**

Question	Answer	Marks
1(a)(i)	1 volume recorded between 5 and 20 (cm <sup>3</sup> ) ;	<b>1</b>
1(a)(ii)	1 heading for independent variable: time and minutes <b>and</b> no units in body of table ; 2 heading for dependent variable: colour ; 3 colour for each minute for 10 minutes or until end-point reached for two consecutive times ; 4 uses only colours from Fig. 1.1 ;	<b>4</b>
1(a)(iii)	<i>any three from:</i> 1 use a colour chart ; 2 use a colorimeter ; 3 use smaller intervals of time e.g. 30 s ; 4 use a pH meter ; 5 use a carbon dioxide probe ; 6 repeat and find mean ; 7 use set volume of B or W instead of using drops ;	<b>3</b>
1(a)(iv)	<i>any three from:</i> 1 starch takes longer to break down ; 2 less enzymes to break down starch to produce carbon dioxide ; 3 fewer active sites ; 4 so less successful collisions ; 5 fewer enzyme-substrate complexes / ESCs ;	<b>3</b>
1(b)(i)	1 states independent variable as temperature ;	<b>1</b>
1(b)(ii)	1 x-axis: time / minutes <b>and</b> y-axis: rate of production of CO <sub>2</sub> / au ; 2 scale on x-axis: 10 minutes to 2 cm, labelled every 2 cm <b>and</b> scale on y-axis: 1 au to 2 cm, labelled every 2 cm ; 3 correct plotting of all six points using small crosses or dots in circles ; 4 plots joined with a thin line passing through all points ;	<b>4</b>

**PUBLISHED**

<b>Question</b>	<b>Answer</b>	<b>Marks</b>
1(b)(iii)	1 the rate of carbon dioxide production increases as time increases ; 2 sharp increase of rate of carbon dioxide production between stated times ; 3 comparison of two data points (time and rate of carbon dioxide production) ;	<b>3</b>
1(b)(iv)	1 correct value from candidate's graph ;	<b>1</b>

**PUBLISHED**

Question	Answer	Marks																					
2(a)(i)	1 minimum size <b>and</b> number of tissue layers ; 2 draws the correct region of the stem <b>and</b> no cells ; 3 correct proportion of stele compared to the diameter of the root ; 4 draws shape of xylem ; 5 label line <b>and</b> label to phloem ;	<b>5</b>																					
2(a)(ii)	1 minimum size <b>and</b> lines continuous, thin and sharp <b>and</b> no shading ; 2 draws only four whole cells <b>and</b> each touches at least two others ; 3 two lines around each cell <b>and</b> three lines where cells touch ; 4 cells angular ; 5 label line and label to air space ;	<b>5</b>																					
2(b)	1 records differences using only observable features and uses a label line to identify each feature ; 2 <i>any <b>three</b> differences as annotations from: ;;;</i> <table border="1" data-bbox="338 683 1294 1145"> <thead> <tr> <th data-bbox="338 683 566 748">feature</th> <th data-bbox="566 683 981 748">Fig. 2.1</th> <th data-bbox="981 683 1294 748">N1</th> </tr> </thead> <tbody> <tr> <td data-bbox="338 748 566 813">cortex</td> <td data-bbox="566 748 981 813">smaller</td> <td data-bbox="981 748 1294 813">larger ;</td> </tr> <tr> <td data-bbox="338 813 566 879">cortex</td> <td data-bbox="566 813 981 879">cells more compact</td> <td data-bbox="981 813 1294 879">cells less compact ;</td> </tr> <tr> <td data-bbox="338 879 566 944">xylem vessels</td> <td data-bbox="566 879 981 944">more spread out from centre</td> <td data-bbox="981 879 1294 944">small area in centre ;</td> </tr> <tr> <td data-bbox="338 944 566 1010">xylem vessels</td> <td data-bbox="566 944 981 1010">scattered</td> <td data-bbox="981 944 1294 1010">cross-shape ;</td> </tr> <tr> <td data-bbox="338 1010 566 1075">xylem vessels</td> <td data-bbox="566 1010 981 1075">more</td> <td data-bbox="981 1010 1294 1075">less ;</td> </tr> <tr> <td data-bbox="338 1075 566 1141">endodermis</td> <td data-bbox="566 1075 981 1141">not visible</td> <td data-bbox="981 1075 1294 1141">visible ;</td> </tr> </tbody> </table>	feature	Fig. 2.1	N1	cortex	smaller	larger ;	cortex	cells more compact	cells less compact ;	xylem vessels	more spread out from centre	small area in centre ;	xylem vessels	scattered	cross-shape ;	xylem vessels	more	less ;	endodermis	not visible	visible ;	<b>4</b>
feature	Fig. 2.1	N1																					
cortex	smaller	larger ;																					
cortex	cells more compact	cells less compact ;																					
xylem vessels	more spread out from centre	small area in centre ;																					
xylem vessels	scattered	cross-shape ;																					
xylem vessels	more	less ;																					
endodermis	not visible	visible ;																					
2(c)(i)	1 uses at least 2 measurements of the diameter ; 2 uses at least three measurements of the diameter ; 3 (adds measurements <u>and</u> divides by number of measurements) <u>and</u> shows division by 13 ;	<b>3</b>																					
2(c)(ii)	1 shows answer from <b>(c)(i)</b> divided by 2 <b>and</b> squared ; 2 shows multiplication by 3.14 ; 3 whole number <u>and</u> mm <sup>2</sup> ;	<b>3</b>																					